

elani connect P3200 TW

ELANI

neva
lux

Product code **221115**

- Built-in, networkable light management for next generation lighting projects
- up to 70% energy savings compared to a conventional solution thanks to constant light control and presence detection
- For universal use for lighting offices, schools, traffic zones etc.
- Direct and indirect light can be controlled separately
- Variants with 1.5, 2.4 and 3.14 meter length available
- Housing Anodised aluminium
- Swiss Made

neva
lux



elani connect P3200 TW

Product code 221115

ELANI

Technical Data


ELECTRICAL		CONNECTIVITY		Direct/indirect ratio separately controllable		Yes
Replaceable driver	Yes	With radio network control	Yes	Constant light output control		Yes
SENSOR TECHNOLOGY		SETTINGS		CERTIFICATES & EPREL		
With motion detector	No	DALI dimming	Yes	EPREL energy efficiency class		D
With light sensor	Yes	With emergency light	No			
		Suitable for light band configuration	Yes			

elani connect P3200 TW

Product code 221115

ELANI

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221110	Connect PDC	Motion detector
 221102	elani Diffusor 3200 CDP	Cover
 221108	Emergency Package 1h (Astra)	Emergency lighting
 221343	elani Connector 90°	Coupler/connector L-shape
 221570	Connect TK2 BLM	Pushbutton interface
 221107	elani Link	Coupler/connector straight
 221397	elani Color RAL_NCS_3200	Other
 221109	Connect PD	Motion detector

elani connect P3200 TW

Product code 221115

ELANI

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221591	Smartlink T-Board PB4	Wireless push-button
 221970	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB2	Wireless push-button
 221997	elani WM-Set 3B	Mounting kit

ORDERING INFORMATION

Art.-Nr.

221115

Typ

elani connect P3200 TW

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss