

# LN 710 LED Silber

**neva**  
**lux**

Product code **4007841053178**

E-Nr. **941200109**

- Including STEINEL LED system
- Intelligent soft light start
- UV-resistant plastic
- High-quality aluminium

**neva**  
**lux**

260 x 140 x 63 mm



LN 710 LED Silber

Product code **4007841053178**  
E-Nr. **941200109**

Technical Data

|                            |                          |                        |  |                         |                                    |               |
|----------------------------|--------------------------|------------------------|--|-------------------------|------------------------------------|---------------|
| IDENTIFICATION             |                          | Mechanical scalability |  | No                      | SETTINGS                           |               |
| Variant                    | Silver                   | CONNECTIVITY           |  |                         | Twilight switch                    | Yes           |
| DIMENSIONS                 |                          | Networking             |  | No                      | Twilight setting                   | 2 – 2000 lx   |
| Dimensions L x W x H       | 260 x 140 x 63 mm        | LIGHTING TECHNOLOGY    |  |                         | Base light function                | No            |
| ELECTRICAL                 |                          | Colour temperature     |  | 3000 K                  | With remote control                | No            |
| Mains connection           | 220 – 240 V , 50 / 60 Hz | Colour rendering index |  | 80-89                   | HOUSING & MATERIAL                 |               |
| Power                      | 8,6 W                    | With illuminant        |  | Yes, STEINEL LED system | Impact resistance                  | IK03          |
| SENSOR TECHNOLOGY          |                          | Illuminant             |  | LED cannot be replaced  | Protection class (IP)              | IP44          |
| Max. mounting height       | 2,50 m                   | Base                   |  | without                 | Protection class                   | II            |
| Sensor technology          | Light sensor             | LED cooling system     |  | Passive Thermo Control  | Ambient temperature                | -20 – 40 °C   |
| With motion detector       | No                       | Soft light start       |  | Yes                     | Housing material                   | Aluminium     |
| Sneak-under protection     | No                       | LIFETIME               |  |                         | Cover material                     | Plastic, opal |
| Segment-by-segment masking | No                       | LED lifetime max. °C   |  | 50000 h                 | Cover material (scope of delivery) | sticker       |
| Electronic scalability     | No                       |                        |  |                         | SCOPE OF DELIVERY & WARRANTY       |               |
|                            |                          |                        |  |                         | Manufacturer warranty              | 3 years       |

LN 710 LED Silber

Product code **4007841053178**  
E-Nr. **941200109**

Illustrations

MOUNTING HEIGHT

2,50 m

MAX

LN 710 LED Silber

Product code **4007841053178**  
E-Nr. **941200109**

Accessories

| ARTICLE NUMBER                                                                                 | DESCRIPTION      | CATEGORY |
|------------------------------------------------------------------------------------------------|------------------|----------|
|  4007841053192 | L 710 LED Silber |          |

ORDERING INFORMATION

Art.-Nr.

4007841053178

E-Number

941200109

Typ

LN 710 LED Silber

neva  
lux

nevalux AG  
Neugrütstrasse 2  
8610 Uster  
+41 44 508 78 78  
info@nevalux.swiss