Stela C 24V 510 mm

24V-GARDEN LED LIGHT

EAN 4007841092405

Your garden. Your light. With the 24V garden lighting system, you can make your outdoor area shine. Simply connect the light, cable and power supply unit and set via the STEINEL Connect app.

- Stylish coloured lighting accents: 24V bollard light 510 mm
- Automatic lighting: Thanks to the brightness sensor, the light comes on automatically at dusk - and goes off again at dawn
- STEINEL Connect App: Easy configuration and networking of multiple lights via Bluetooth
- True Color: true-to-life color rendering in warm white, cool white and color, dimmable for flexible lighting scenes
- Plug & Play: All components can be connected quickly and without tools, and can be expanded as desired
- Well planned: This light consumes 9,2 W. To operate it, you'll need a 24V power supply that matches the total power requirement – not included.

130 x 130 x 510 mm



Stela C 24V 510 mm

24V-GARDEN LED LIGHT

EAN 4007841092405

Technical Data

DIMENSIONS

Dimensions L × W × H	130 x 130 x 510 mm

ELECTRICAL

Power	9,2 W

SENSOR TECHNOLOGY

With motion detector	No

CONNECTIVITY

Networking	Yes
Control technology	On/Off-Leuchte

LIGHTING TECHNOLOGY

Efficiency	54 lm/W
Colour temperature	all colors + 1800-4000 K
LED colour deviation	SDCM3
Colour rendering index	= 83
With illuminant	Yes, STEINEL LED system
Illuminant	LED cannot be replaced
Continuous light	selectable

LIFETIME

LED lifetime L70B50 25°C	> 60000 h
Average rated power supply lifetime at 25 °C	> 60000 h

SETTINGS

Twilight switch	Yes
Twilight setting	2 – 2000 lx
Main light adjustable	10 - 100 %
Functions	DIM function Color temperature change Group parameterisation Light sensor Neighbouring group function Push button configuration Pushbutton / switch mode
Settings via	Bluetooth Mesh
With remote control	No
Twilight setting teach	Yes

HOUSING & MATERIAL

Protection class (IP)	IP65
Protection class	III
Ambient temperature	from -20 up to 40 °C
Housing material	Aluminium
Cover material	Plastic, structured
Mounting location	Floor
Application location	Outdoors
Mounting type	Other
Material	Aluminium
Application room	garden outdoors terrace / balcony
Colour	Anthracite

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	3 years
House number sheet included	No

CERTIFICATES & EPREL

Certificates	TSU
EPREL category	Surrounded product with integrated light source


Stela C 24V 510 mm

24V-GARDEN LED LIGHT

EAN 4007841092405

Illustrations

TECHNICAL DRAWINGS



130 x 130 x 510 mm

Stela C 24V 510 mm


24V-GARDEN LED LIGHT

EAN 4007841092405

Highlights




Plug&Play - Easy to install




True Color



Dimmable lighting



360° light illumination



High-quality aluminium

Stela C 24V 510 mm

24V-GARDEN LED LIGHT

EAN 4007841092405

Accessories

ORDERING INFORMATION

Art.-Nr.	092405
EAN	4007841092405
Typ	**Stela C 24V 510 mm**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss