

HF 360-2 DALI-2 Input Device - surface

neva
lux**PRESENCE DETECTOR**

EAN 4007841064297

E-Nr. 535932308

 **steinel**

57 x 123 x 123 mm



HF 360-2 DALI-2 Input Device - surface

PRESENCE DETECTOR

EAN 4007841064297
E-Nr. 535932308

Technical Data

IDENTIFICATION					
Version	Presence detector	Mechanical scalability	No	Main light adjustable	No
DIMENSIONS		Range detail	1 or 2 detection directions can be masked out by stickers for adjustment to the room situation.	Settings via	Bluetooth Bus
Dimensions L x W x H	57 x 123 x 123 mm	Radial range	Ø 12 m (113 m²)	With remote control	No
ELECTRICAL		Tangential range	Ø 12 m (113 m²)	Twilight setting teach	No
Mains connection	12.5 – 22 V	Mounting height	2,50 – 4,00 m	HOUSING & MATERIAL	
Supply voltage detail	DALI bus	Optimal mounting height	2,8 m	Protection class (IP)	IP20
Control output DALI	Addressable/slave	CONNECTIVITY		Ambient temperature	from -25 up to 50 °C
SENSOR TECHNOLOGY		Networking	Yes	Mounting location	ceiling
Max. mounting height	4,00 m	Type of networking	Master/slave	Application location	Indoors
Sensor technology	High frequency	Networking via	Bluetooth DALI bus	Mounting type	Surface wiring
Transmission power	< 1 mW	With bus coupler	Yes	Material	Plastic
HF technology	5,8 GHz	LIGHTING TECHNOLOGY		Application room	Indoors WC / washroom function room / ancillary room kitchenette stairwell
With motion detector	Yes	Soft light start	No	Colour	white
Detection	also through glass, wood and stud walls	Continuous light	selectable	RAL colour	9003
Detection angle	360 °	Constant light regulation	No	SCOPE OF DELIVERY & WARRANTY	
Opening angle	140 °	SETTINGS		Manufacturer warranty	5 years
Sneak-under protection	Yes	Twilight switch	Yes	Corner wall bracket included	No
Segment-by-segment masking	No	Twilight setting	2 – 2000 lx	CERTIFICATES & EPREL	
Electronic scalability	Yes	Base light function	No	Certificates	DALI-2


HF 360-2 DALI-2 Input Device - surface

PRESENCE DETECTOR

EAN 4007841064297
E-Nr. 535932308

Illustrations

TECHNICAL DRAWINGS



57 x 123 x 123 mm

MOUNTING HEIGHT

2,50 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------

HF 360-2 DALI-2 Input Device - surface

PRESENCE DETECTOR

EAN 4007841064297
E-Nr. 535932308

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

HF 360-2 DALI-2 Input Device - surface

PRESENCE DETECTOR

EAN 4007841064297

E-Nr. 535932308

Highlights



UV-resistant plastic

HF 360-2 DALI-2 Input Device - surface

PRESENCE DETECTOR

EAN 4007841064297
E-Nr. 535932308

Accessories

ORDERING INFORMATION	
Art.-Nr.	064297
EAN	4007841064297
E-Number	535932308
Typ	HF 360-2 DALI-2 Input Device - surface

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss