

IS 345 KNX - in-ceiling installation, rd. white

neva
lux**MOTION DETECTOR**

EAN 4007841079703

E-Nr. 535918136

 **steinel**

124 x 121 mm



IS 345 KNX - in-ceiling installation, rd. white

MOTION DETECTOR

EAN 4007841079703

E-Nr. 535918136

Technical Data

IDENTIFICATION		Optimal mounting height		2,5 m		Main light adjustable		0 - 100 %	
Version		Motion detectors				Settings via		ETS software Remote control Bus Smart Remote	
DIMENSIONS						Twilight setting teach		Yes	
Dimensions L x W x H		121 x 94 x 94 mm							
Dimensions Ø x H		124 x 121 mm							
SENSOR TECHNOLOGY						HOUSING & MATERIAL			
Max. mounting height		5,00 m				Protection class (IP)		IP20	
Sensor technology		passive infrared				Ambient temperature		from -20 up to 50 °C	
Detection angle		360 °				Mounting location		ceiling	
Opening angle		45 °				Application location		Indoors	
Sneak-under protection		Yes				Mounting type		In-ceiling installation	
Segment-by-segment masking		Yes				Material		Plastic	
Electronic scalability		No				Application room		Indoors corridor / aisle multi-storey / underground car park	
Mechanical scalability		No				Colour		white	
Radial range		12 x 6 m (72 m²)				RAL colour		9003	
Tangential range		23 x 6 m (138 m²)				SCOPE OF DELIVERY & WARRANTY			
Mounting height		2,50 – 5,00 m				Manufacturer warranty		5 years	
						Corner wall bracket included		No	

IS 345 KNX - in-ceiling installation, rd. white


MOTION DETECTOR

EAN 4007841079703

E-Nr. 535918136

Illustrations

TECHNICAL DRAWINGS



124 x 121 mm

MOUNTING HEIGHT

2,50 – 5,00 m BEREICH	2,5 m OPTIMAL	5,00 m MAX
---	-------------------------------------	----------------------------------

IS 345 KNX - in-ceiling installation, rd. white


EAN 4007841079703

E-Nr. 535918136

MOTION DETECTOR


Wiring Diagrams

WIRING DIAGRAM 1



Master circuit diagram

WIRING DIAGRAM 2



Master/slave interconnection circuit diagram

IS 345 KNX - in-ceiling installation, rd. white

EAN 4007841079703

E-Nr. 535918136

MOTION DETECTOR

Highlights



UV-resistant plastic



Optional remote controls



Smart Remote remote control optional

IS 345 KNX - in-ceiling installation, rd. white

MOTION DETECTOR

EAN 4007841079703
E-Nr. 535918136

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841009151	Smart Remote	Accessory
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory
 4007841056742	Schwarze Blende für IR-Sensoren Unterputz rund	Accessory

ORDERING INFORMATION

Art.-Nr.

079703

EAN

4007841079703

E-Number

535918136

Typ

IS 345 KNX - in-ceiling installation, rd. white

nevalux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss