

iHF 3D weiss

neva
lux

Product code **4007841007577**

E-Nr. **535939200**

- Control unit for adjusting the detection zone along 3 axes
- Control dials behind the designer trim panel
- iHF sensor protected in enclosure
- UV-resistant plastic
- Remote control RC9 included

neva
lux

120 x 117 x 120 mm



iHF 3D weiss

Product code **4007841007577**
E-Nr. **535939200**

Technical Data

IDENTIFICATION					
Variant	white	Electronic scalability	Yes	Time setting	10 sec – 30 min
Version	Motion detectors	Mechanical scalability	No	Base light function	No
DIMENSIONS		Range detail	Detection zone adjustable on 3 axes	With remote control	No
Dimensions L x W x H	120 x 117 x 120 mm	Radial range	r = 7 m (68 m²)	Twilight setting teach	Yes
ELECTRICAL		Tangential range	r = 7 m (68 m²)	HOUSING & MATERIAL	
Mains connection	120 – 250 V , 50 / 60 Hz	Mounting height	1,80 – 2,00 m	Protection class (IP)	IP54
Switching output 1 resistive	2000 W	Optimal mounting height	1,8 m	Ambient temperature	-20 – 50 °C
Supply voltage detail	500 VA max., 120 V	CONNECTIVITY		Mounting location	wall
SENSOR TECHNOLOGY		Networking	Yes	Application location	Outdoors
Sensor technology	iHF (intelligent high-frequency technology)	Type of networking	Master/master	Mounting type	Surface wiring
HF technology	5,8 GHz	LIGHTING TECHNOLOGY		Material	Plastic
Detection angle	160 °	Constant light regulation	No	Colour	white
Sneak-under protection	Yes	SETTINGS		RAL colour	9010
		Twilight setting	2 – 2000 lx	SCOPE OF DELIVERY & WARRANTY	
				Manufacturer warranty	5 years

iHF 3D weiss

Product code **4007841007577**
E-Nr. **535939200**

Illustrations

MOUNTING HEIGHT

1,80 – 2,00 m BEREICH	1,8 m OPTIMAL
--------------------------	------------------

iHF 3D weiss

Product code **4007841007577**
E-Nr. **535939200**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841007638	Fernbedienung RC9	Other
 4007841009151	Smart Remote	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841007577

E-Number

535939200

Typ

iHF 3D weiss

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss