XLED PRO Wide SL black

LED FLOODLIGHT

EAN 4007841010256
E-Nr. 924700271

- Including STEINEL LED system
- Intelligent LED cooling system
- Optional basic lighting level
- UV resistant material
- Interconnectable by cable

165 x 265 x 126 mm



XLED PRO Wide SL black

LED FLOODLIGHT

EAN **4007841010256**
E-Nr. **924700271**

Technical Data

IDENTIFICATION

Variant	**black**

DIMENSIONS

Dimensions L × W × H	**165 x 265 x 126 mm**

ELECTRICAL

Mains connection	**220 – 240 V , 50 / 60 Hz**
Power	**24,8 W**

SENSOR TECHNOLOGY

Max. mounting height	**6,00 m**
With motion detector	**No**

CONNECTIVITY

Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Colour temperature	**4000 K**
LED colour deviation	**SDCM3**
Colour rendering index	**80-89**
With illuminant	**Yes, STEINEL LED system**
Illuminant	**LED cannot be replaced**
LED cooling system	**Passive Thermo Control**
Continuous light	**selectable, 4h**
Luminous flux	**2400 lm**

LIFETIME

LED lifetime max. °C	**50000 h**
Luminous flux decline per LM80	**L70B10**

SETTINGS

Twilight switch	**No**
Twilight setting	**2 – 1000 lx**
Time setting	**5 sec – 20 min**
Base light function time	**10 min, 30 min, all night**

HOUSING & MATERIAL

Impact resistance	**IK00**
Protection class (IP)	**IP54**
Protection class	**I**
Ambient temperature	**-20 – 40 °C**
Housing material	**Aluminium**
Cover material	**Plastic, transparent**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**

XLED PRO Wide SL black

LED FLOODLIGHT

EAN **4007841010256**
E-Nr. **924700271**

Illustrations

MOUNTING HEIGHT

6,00 m
MAX

XLED PRO Wide SL black

LED FLOODLIGHT

EAN **4007841010256**
E-Nr. **924700271**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841007638	**Fernbedienung RC9**	Accessory

ORDERING INFORMATION

Art.-Nr.	4007841010256
EAN	4007841010256
E-Number	924700271
Typ	**XLED PRO Wide SL black**

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss