

L 710 N anthrazit

neva
lux

Product code **4007841053161**

E-Nr. **941200099**

- Including STEINEL LED system
- Intelligent soft light start
- UV-resistant plastic
- High-quality aluminium

neva
lux

140 x 260 x 63 mm



L 710 N anthrazit

Product code **4007841053161**

E-Nr. **941200099**

Technical Data

DIMENSIONS	
Dimensions L x W x H	140 x 260 x 63 mm
ELECTRICAL	
Mains connection	220 – 240 V / 50 – 60 Hz
Power	8,3 W
SENSOR TECHNOLOGY	
Sensor technology	Light sensor
With motion detector	No
Sneak-under protection	No
Segment-by-segment masking	No
Electronic scalability	No
Mechanical scalability	No
CONNECTIVITY	
Networking	No
Slave mode adjustable	No
LIGHTING TECHNOLOGY	
Measured luminous flux 360°	729 lm
Efficiency	88 lm/W
Colour temperature	3000 K

Colour rendering index	= 82
With illuminant	Yes, STEINEL LED system
Illuminant	LED cannot be replaced
Base	without
LED cooling system	Passive Thermo Control
Soft light start	Yes
LIFETIME	
LED lifetime max. °C	50000 h
LED lifetime L70B50 25°C	> 60000 h
Average rated power supply lifetime at 25 °C	> 60000 h
SETTINGS	
Twilight switch	Yes
Twilight setting	2 – 2000 lx
Base light function	No
Functions	Light sensor
Settings via	Potentiometers
With remote control	No
Twilight setting teach	No
HOUSING & MATERIAL	
Impact resistance	IK03

Protection class (IP)	IP44
Protection class	II
Ambient temperature	-20 – 40 °C
Housing material	Aluminium
Cover material	Plastic, opal
Cover material (scope of delivery)	sticker
Mounting location	wall
Application location	Outdoors
Mounting type	Surface wiring
Material	Plastic
Application room	all round the building front door outdoors terrace / balcony
Colour	Anthracite
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	3 years
House number sheet included	No
CERTIFICATES & EPREL	
EPREL category	Surrounded product with integrated light source

L 710 N anthrazit

Product code **4007841053161**

E-Nr. **941200099**

Accessories

ORDERING INFORMATION

Art.-Nr.	4007841053161
E-Number	941200099
Typ	L 710 N anthrazit

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss