

GL 80 C without motion detector, with Bluetooth

neva
lux

OUTDOOR LIGHT WITHOUT SENSOR


EAN 4007841079284

E-Nr. 941700569

- Floor and path luminaire without motion detector, perfect for illuminating paths and driveways
- Elegant and modern design in cube format made of UV-resistant material
- Wireless networking via Bluetooth Mesh and easy setting via STEINEL Connect App
- Functions: adjustable basic and main light (basic light only in combination with a Bluetooth sensor luminaire), scheduling function
- Warm white light (3000 K) and long-life 9,1 W LEDs with 650 lm
- Incl. mounting accessories - plastic-free packaging

 **steinel**

161 x 110 x 633 mm



GL 80 C without motion detector, with Bluetooth

OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841079284
E-Nr. 941700569

Technical Data

DIMENSIONS		Colour rendering index		Mounting location	
Dimensions L x W x H		80-89		Stand mounted	
161 x 110 x 633 mm		With illuminant		Application location	
		Yes, STEINEL LED system		Outdoors	
ELECTRICAL		Illuminant		Mounting type	
		LED cannot be replaced		Surface wiring	
Mains connection		LIFETIME		Application room	
220 – 240 V / 50 – 60 Hz		LED lifetime L70B50 25°C		all round the building courtyard & driveway front door garden terrace / balcony	
Power		> 60000 h		Colour	
9,1 W		SETTINGS		Anthracite	
SENSOR TECHNOLOGY		With remote control		SCOPE OF DELIVERY & WARRANTY	
		No		Manufacturer warranty	
CONNECTIVITY		HOUSING & MATERIAL		3 years	
Networking via		Impact resistance		House number sheet included	
Bluetooth		Protection class (IP)		No	
LIGHTING TECHNOLOGY		Protection class		CERTIFICATES & EPREL	
Measured luminous flux 360°		Housing material		EPREL category	
650 lm		Plastic		Surrounded product with integrated light source	
Colour temperature		Cover material			
3000 K		Plastic, opal			

GL 80 C without motion detector, with Bluetooth


OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841079284

E-Nr. 941700569

Illustrations

TECHNICAL DRAWINGS



161 x 110 x 633 mm


GL 80 C without motion detector, with Bluetooth

EAN 4007841079284
E-Nr. 941700569

OUTDOOR LIGHT WITHOUT SENSOR


Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram Bluetooth

WIRING DIAGRAM 2



Circuit diagram Bluetooth


GL 80 C without motion detector, with Bluetooth

OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841079284

E-Nr. 941700569

Highlights



Intelligent soft light start



Optional basic lighting level 10 - 100 %
(only with bluetooth sensor product)



UV-resistant plastic

GL 80 C without motion detector, with Bluetooth

OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841079284
E-Nr. 941700569

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841078751	Ersatz-Profil GL 80 anthrazit	Spare Part
 4007841078737	Ersatz-Fuss GL 80 anthrazit	Other
 4007841088620	Funkschalter TapDuo C	System components
 4007841089870	Ersatz-Fuss GL 80 anthrazit	Spare Part

ORDERING INFORMATION

Art.-Nr.

079284

EAN

4007841079284

E-Number

941700569

Typ

GL 80 C without motion detector, with Bluetooth

nevalux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss