

Multisensor Air IP - concealed

AIR-QUALITY SENSOR

neva
lux

EAN 4007841091781

- Air quality sensor with most detection sizes
- Application area: school, office
- Easy-to-install plug-in system with magnetic connection, integrated RGB LED traffic light and signal tone for visualising the room climate
- Measurement of brightness, temperature, humidity, CO₂, VOC, air pressure, noise level
- Interface-dependent additional calculated values such as risk of infection
- Award-winning design

● steinel



Multisensor Air IP - concealed

AIR-QUALITY SENSOR

EAN 4007841091781

Technical Data

IDENTIFICATION	
Version	Other
SENSOR TECHNOLOGY	
Max. mounting height	12,00 m
With motion detector	No
Mounting height	2 – 12 m
Optimal mounting height	2,8 m
CONNECTIVITY	
Networking	Yes
Networking via	Bluetooth Mesh

LIGHTING TECHNOLOGY	
Continuous light	selectable
SETTINGS	
Twilight switch	Yes
Twilight setting	2 – 2000 lx
Main light adjustable	Yes
Settings via	Smartphone Tablet Bluetooth Mesh
With remote control	No
Twilight setting teach	Yes
HOUSING & MATERIAL	
Protection class (IP)	IP20

Ambient temperature	from 0 up to 50 °C
Housing material	Plastic
Mounting location	ceiling
Application location	Indoors
Mounting type	Concealed wiring
Material	Plastic
Application room	classroom conference room / meeting room hotel room open-plan office
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	5 years
Corner wall bracket included	No


Multisensor Air IP - concealed

AIR-QUALITY SENSOR

EAN 4007841091781

Illustrations

TECHNICAL DRAWINGS



MOUNTING HEIGHT

2 – 12 m BEREICH	2,8 m OPTIMAL	12,00 m MAX
---------------------	------------------	----------------

Multisensor Air IP - concealed

EAN 4007841091781

AIR-QUALITY SENSOR

Highlights



UV-resistant plastic



Visual and auditory signal on room climate

Multisensor Air IP - concealed

EAN 4007841091781

AIR-QUALITY SENSOR

Accessories

ORDERING INFORMATION

Art.-Nr.	091781
EAN	4007841091781
Typ	Multisensor Air IP - concealed

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss