

IR 180 UNIVERSAL silber



Product code 4007841033132

E-Nr. 535941677

- Optional adapters made of UV-resistant plastic

neva
lux

80 x 80 x 21 mm



IR 180 UNIVERSAL silber

Product code **4007841033132**
E-Nr. **535941677**

Technical Data

IDENTIFICATION				HOUSING & MATERIAL	
Variant	Silver	Radial range	r = 4 m (25 m²)	Protection class (IP)	IP20
Version	Presence detector	Tangential range	r = 20 m (628 m²)	Ambient temperature	0 – 40 °C
DIMENSIONS		Switching zones	96 switching zones	Mounting location	wall
Dimensions L x W x H	80 x 80 x 21 mm	Presence range	r = 4 m (25 m²)	Application location	Indoors
ELECTRICAL		Optimal mounting height	1,2 m	Mounting type	Concealed wiring
Mains connection	220 – 240 V , 50 / 60 Hz	CONNECTIVITY		Material	Plastic
Switching output 1 resistive	200 W	Networking	Yes	Colour	Silver
Switching output 1 number of LED/fluorescent lamps	6 pcs.	LIGHTING TECHNOLOGY		RAL colour	9006
SENSOR TECHNOLOGY		Constant light regulation	No	SCOPE OF DELIVERY & WARRANTY	
Sensor technology	passive infrared	SETTINGS		Manufacturer warranty	5 years
Detection angle	180 °	Twilight setting	2 – 1000 lx	CERTIFICATES & EPREL	
Opening angle	90 °	Time setting	30 sec – 15 min	Certificates	KEMA
Sneak-under protection	Yes	Base light function	No	OTHER	
Electronic scalability	Yes	Functions	Switch active / switch inactive, Normal / test mode, Manual ON / ON-OFF	Application, location, room	One-person office, corridor, aisle, side room, stairwell, washroom, wc, equipment room
Mechanical scalability	No	With remote control	No		
		Twilight setting teach	Yes		

IR 180 UNIVERSAL silber

Product code **4007841033132**
E-Nr. **535941677**

Illustrations


MOUNTING HEIGHT



IR 180 UNIVERSAL silber

Product code **4007841033132**
E-Nr. **535941677**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841034146	Adapterrahmen für IR 180 / HF 180 Busch-Jaeger - silber	Other
 4007841034153	Adapterrahmen für IR 180 / HF 180 Feller - silber	Other
 4007841034177	Adapterrahmen für IR 180 / HF 180 Jung - silber	Other

ORDERING INFORMATION

Art.-Nr.

4007841033132

E-Number

535941677

Typ

IR 180 UNIVERSAL silber

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss