

My L 40 SC with motion detector & Bluetooth

neva
lux

SENSOR-SWITCHED LED OUTDOOR LIGHT

EAN 4007841088415

- Individual house number lighting. Outdoor light with motion detector and high-quality, square aluminium housing
- Your luminaire is already delivered to your home with your desired house number. In addition to the raised anthracite numbers, the letters a-i are available for configuration (Note: This product is only sold in the German STEINEL online shop)
- Sensor coloured in inconspicuous housing colour, the detection area can be individually limited by cover clips
- Wireless networking via Bluetooth Mesh and easy setting via STEINEL Connect App
- Automatic light thanks to 180 ° Infrared sensor with up to 10 m detection of movement
- Functions: adjustable basic and main light, pleasant soft light start, continuous light, scheduling function
- Warm white light (3000 K) and long-life 12,9 W LEDs with 930 lm
- Incl. mounting accessories - plastic-free packaging

 **steinel**

105 x 201 x 261 mm



My L 40 SC with motion detector & Bluetooth

EAN 4007841088415

SENSOR-SWITCHED LED OUTDOOR LIGHT

Technical Data

IDENTIFICATION	
Type of accessory	Other
DIMENSIONS	
Dimensions L x W x H	105 x 201 x 261 mm
ELECTRICAL	
Mains connection	220 – 240 V / 50 – 60 Hz
Power	12,9 W
SENSOR TECHNOLOGY	
Max. mounting height	2,50 m
Sensor technology	passive infrared
With motion detector	Yes
Detection angle	180 °
Electronic scalability	No
Mechanical scalability	Yes
Radial range	r = 4 m (25 m²)
Tangential range	r = 10 m (157 m²)
Mounting height	1,80 – 2,50 m
Optimal mounting height	2 m
CONNECTIVITY	
Networking	Yes
Type of networking	Master/master Master/slave
Networking via	Bluetooth Mesh
Slave mode adjustable	Yes

LIGHTING TECHNOLOGY	
Measured luminous flux 360°	930 lm
Efficiency	72,1 lm/W
Colour temperature	3000 K
Colour rendering index	= 82
With illuminant	Yes, STEINEL LED system
Illuminant	LED cannot be replaced
Base	without
LED cooling system	Passive Thermo Control
Soft light start	Yes
Continuous light	selectable
LIFETIME	
LED lifetime L70B50 25°C	> 60000 h
Average rated power supply lifetime at 25 °C	> 60000 h
SETTINGS	
Twilight switch	Yes
Twilight setting	2 – 2000 lx
Time setting	5 s – 60 Min.
Base light function	Yes
Base light function time	10s-60 min Brightness-controlled OFF Permanently ON
Main light adjustable	5 - 100 %
Settings via	Smartphone Tablet Bluetooth Mesh
With remote control	No

Twilight setting teach	Yes
Base light function in percent	5 – 100 %
Base light function percent from	5 %
HOUSING & MATERIAL	
Impact resistance	IK03
Protection class (IP)	IP54
Protection class	I
Ambient temperature	from -20 up to 40 °C
Housing material	Aluminium
Cover material	Plastic, opal
Cover material (scope of delivery)	Cover clips
Mounting location	wall
Application location	Outdoors
Mounting type	Surface wiring
Material	Aluminium
Application room	all round the building front door outdoors terrace / balcony
Colour	Anthracite
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	3 years
House number sheet included	No
CERTIFICATES & EPREL	
EPREL category	Surrounded product with integrated light source


My L 40 SC with motion detector & Bluetooth

SENSOR-SWITCHED LED OUTDOOR LIGHT

EAN 4007841088415

Illustrations

TECHNICAL DRAWINGS



105 x 201 x 261 mm

MOUNTING HEIGHT

1,80 – 2,50 m BEREICH	2 m OPTIMAL	2,50 m MAX
--------------------------	----------------	---------------


My L 40 SC with motion detector & Bluetooth

SENSOR-SWITCHED LED OUTDOOR LIGHT

EAN 4007841088415


Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram Bluetooth

WIRING DIAGRAM 2



Circuit diagram Bluetooth

My L 40 SC with motion detector & Bluetooth

EAN 4007841088415

SENSOR-SWITCHED LED OUTDOOR LIGHT


Highlights



Including STEINEL LED system




Intelligent soft light start




High-quality aluminium



LED ambient light



Interconnectable and adjustable via Bluetooth



Operatable via app



Adjustable main and basic light brightness
(5 - 100%)

My L 40 SC with motion detector & Bluetooth

EAN 4007841088415

SENSOR-SWITCHED LED OUTDOOR LIGHT

Accessories

ORDERING INFORMATION

Art.-Nr. 088415

EAN 4007841088415

Typ My L 40 SC with motion detector & Bluetooth

**neva
lux**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss