
UI2 KNX-S universal interface

SYSTEM COMPONENTS

EAN 4007841089221

- Universal input 2-gang for flush mounting in device box
- Connection of floating contacts such as pushbuttons, switches or reed contacts
- Operating functions: Switching, dimming, blinds, scenes or room temperature control
- Encoder for dimming, colour temperature, RGBW, temperature or brightness values
- Connection of door or window contacts for the evaluation of open, closed, tilted
- 5-year product guarantee, KNX Data Secure

steinel



UI2 KNX-S universal interface

SYSTEM COMPONENTS

EAN 4007841089221

Technical Data

ELECTRICAL

Mains connection	21 – 32 V
Supply voltage detail	KNX bus

CONNECTIVITY

With bus coupler	Yes
Control technology	On/Off-Leuchte

HOUSING & MATERIAL

Protection class (IP)	IP20
Protection class	III
Ambient temperature	from -5 up to 45 °C
Mounting type	Concealed wiring

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	5 years

UI2 KNX-S universal interface

EAN 4007841089221

SYSTEM COMPONENTS

Accessories

ORDERING INFORMATION

Art.-Nr.	089221
EAN	4007841089221
Typ	**UI2 KNX-S universal interface**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss