HF 3360 KNX - concealed, sq.

MOTION DETECTOR

EAN 4007841058227
E-Nr. 535945075

- UV-resistant plastic
- Optional remote controls
- Smart Remote remote control optional

64 x 94 x 94 mm



HF 3360 KNX - concealed, sq.

MOTION DETECTOR

EAN 4007841058227
E-Nr. 535945075

Technical Data

IDENTIFICATION

Version	Motion detectors

DIMENSIONS

Dimensions L × W × H	64 x 94 x 94 mm

ELECTRICAL

Supply voltage detail	KNX bus

SENSOR TECHNOLOGY

Max. mounting height	4,00 m
Sensor technology	High frequency
Transmission power	< 1 mW
HF technology	5,8 GHz
Detection	also through glass, wood and stud walls
Detection angle	360 °
Opening angle	180 °
Sneak-under protection	Yes
Segment-by-segment masking	No
Electronic scalability	Yes
Mechanical scalability	No
Radial range	Ø 8 m (50 m²)
Tangential range	Ø 8 m (50 m²)
Mounting height	2,00 – 4,00 m
Optimal mounting height	2,8 m

CONNECTIVITY

Networking	Yes
Type of networking	Master/slave
KNX functions	Photo-cell controller\nBasic light level function\nLight level\nHVAC output\nConstant-lighting control\nLight output 2x\nPresence output\nDay / night function\nLogic gate
With bus coupler	Yes
Control technology	On/Off-Leuchte

LIGHTING TECHNOLOGY

Soft light start	Yes
Continuous light	selectable
Constant light regulation	Yes

SETTINGS

Twilight switch	Yes
Twilight setting	2 – 1000 lx
Time setting	5 s – 15 Min.
Base light function	Yes
Main light adjustable	0 - 100 %
Settings via	ETS software\nRemote control\nBus\nSmart Remote
With remote control	No
Twilight setting teach	Yes

HOUSING & MATERIAL

Protection class (IP)	IP20
Ambient temperature	from -20 up to 50 °C
Mounting location	ceiling corner wall
Application location	Indoors
Mounting type	Concealed wiring
Material	Plastic
Application room	Indoors WC / washroom function room / ancillary room multi-storey / underground car park stairwell
Colour	white
RAL colour	9003

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	5 years
Corner wall bracket included	No


HF 3360 KNX - concealed, sq.

MOTION DETECTOR

EAN **4007841058227**
E-Nr. **535945075**

Illustrations

TECHNICAL DRAWINGS



64 x 94 x 94 mm

MOUNTING HEIGHT


2,00 – 4,00 m	2,8 m	4,00 m
BEREICH	OPTIMAL	MAX

HF 3360 KNX - concealed, sq.

MOTION DETECTOR

EAN 4007841058227
E-Nr. 535945075

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841009151	**Smart Remote**	Accessory
	4007841593018	**Service Fernbedienung RC6 KNX**	Accessory
	4007841035174	**Eckwandhalter 3000 weiss**	Accessory
	4007841592912	**Nutzer Fernbedienung RC7 KNX**	Accessory
	4007841056681	**Schwarze Blende für den HF 3360 Unterputz eckig**	Accessory
	4007841056704	**Schwarze Blende für den HF 3360 Unterputz rund**	Accessory

ORDERING INFORMATION

Art.-Nr.	4007841058227
EAN	4007841058227
E-Number	535945075
Typ	**HF 3360 KNX - concealed, sq.**

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss