

IR Quattro SLIM XS COM1 - rund

neva
lux

Product code **4007841035211**

E-Nr. **535930700**

- Extremely slim overall height
- High-quality retina lens
- Can only be set using optional remote controls

neva
lux

94 x 55 mm



IR Quattro SLIM XS COM1 - rund

Product code **4007841035211**
E-Nr. **535930700**

Technical Data

IDENTIFICATION		Range detail		Retina lens and hexagonal Fresnel structure		Settings via		Remote control, Smart Remote	
Variant	COM1 - round	Radial range		4 x 4 m (16 m²)		With remote control		Yes	
Version	Presence detector	Tangential range		4 x 4 m (16 m²)		Twilight setting teach		Yes	
DIMENSIONS		Switching zones		408 switching zones		HOUSING & MATERIAL			
Dimensions Ø x H	94 x 55 mm	Mounting height		2,50 – 4,00 m		Protection class (IP)		IP20	
ELECTRICAL		Presence range		4 x 4 m (16 m²)		Ambient temperature		0 – 40 °C	
Mains connection	220 – 240 V / 50 – 60 Hz	Optimal mounting height		2,8 m		Mounting location		ceiling	
Capacitive load in µF	176 µF	FIL_4_PRO sensor technology		Passive infrared		Application location		Indoors	
Switching output 1 number of LED/fluorescent lamps	8 pcs.	CONNECTIVITY				Mounting type		Concealed wiring	
FIL_2_PRO interfaces	COM1 (Switching light)	Networking		Yes		Material		Plastic	
SENSOR TECHNOLOGY		Type of networking		Master/master, Master/slave		Colour		white	
Sensor technology	passive infrared	LIGHTING TECHNOLOGY				RAL colour		9010	
Detection angle	360 °	Constant light regulation		No		SCOPE OF DELIVERY & WARRANTY			
Opening angle	71 °	SETTINGS				Manufacturer warranty		5 years	
Sneak-under protection	Yes	Twilight setting		10 – 1000 lx		OTHER			
Segment-by-segment masking	No	Time setting		30 sec – 30 min		Application, location, room		one-person office, hotel room, care room, function room / ancillary room, WC / washroom, Indoors	
Electronic scalability	No	Base light function		No					
Mechanical scalability	No	Functions		Normal / test mode, Semi-/fully automatic, Manual ON / ON-OFF					

IR Quattro SLIM XS COM1 - rund

Product code **4007841035211**
E-Nr. **535930700**

Illustrations

MOUNTING HEIGHT

2,50 – 4,00 m BEREICH	2,8 m OPTIMAL
--------------------------	------------------

IR Quattro SLIM XS COM1 - rund

Product code **4007841035211**
E-Nr. **535930700**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841032951	IR Quattro SLIM XS 4m COM1 - eckig	Presence detector
 4007841009151	Smart Remote	Accessory
 4007841559410	Service Fernbedienung RC8	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841035211

E-Number

535930700

Typ

IR Quattro SLIM XS COM1 - rund

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss