

IS 345 MX Highbay PF - Unterputz eckig

neva
lux

Product code 4007841033927

E-Nr. 535941567

neva
lux

94 x 94 x 78 mm



IS 345 MX Highbay PF - Unterputz eckig

Product code 4007841033927
E-Nr. 535941567

Technical Data

IDENTIFICATION			
Variant	PF - concealed installation, square	Electronic scalability	No
Version	Motion detectors	Mechanical scalability	No
DIMENSIONS		Radial range	30 x 4 m (120 m²)
Dimensions L x W x H	94 x 94 x 78 mm	Tangential range	30 x 4 m (120 m²)
ELECTRICAL		Switching zones	280 switching zones
Mains connection	220 – 240 V , 50 / 60 Hz	Mounting height	4,00 – 14,00 m
SENSOR TECHNOLOGY		Optimal mounting height	12 m
Sensor technology	passive infrared	CONNECTIVITY	
Detection angle	360 °	Networking	Yes
Opening angle	9 °	LIGHTING TECHNOLOGY	
Sneak-under protection	Yes	Constant light regulation	No
Segment-by-segment masking	Yes	SETTINGS	
		Twilight setting	2 – 1000 lx
		Time setting	5 sec – 15 min
		Base light function	No
		With remote control	No
		Twilight setting teach	Yes
		HOUSING & MATERIAL	
		Protection class (IP)	IP20
		Ambient temperature	-20 – 50 °C
		Mounting location	ceiling
		Application location	Indoors
		Mounting type	Concealed wiring
		Material	Plastic
		Colour	white
		RAL colour	9003
		SCOPE OF DELIVERY & WARRANTY	
		Manufacturer warranty	5 years
		OTHER	
		Application, location, room	high-bay warehouse

IS 345 MX Highbay PF - Unterputz eckig

Product code **4007841033927**
E-Nr. **535941567**

Illustrations

MOUNTING HEIGHT

4,00 – 14,00 m BEREICH	12 m OPTIMAL
---------------------------	-----------------

IS 345 MX Highbay PF - Unterputz eckig

Product code **4007841033927**
E-Nr. **535941567**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841559410	Service Fernbedienung RC8	Accessory
 4007841009151	Smart Remote	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841033927

E-Number

535941567

Typ

IS 345 MX Highbay PF - Unterputz eckig

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss