

ayana connect LS C850 4K

AYANA

neva
lux

Product code **222010**

- Timeless simple acrylic glass luminaire in 3 different sizes
- Available in ceiling and pendant versions
- Connect version with IoT lighting control for next generation lighting projects (swarm function, grouping, cleaning light etc.)
- Connect version available with light sensor (LS) or with motion detector and light sensor (PIR)
- For universal use for illumination of offices, schools, traffic zones, etc.
- Very high quality workmanship from Swiss manufacturing
- Sophisticated thermal management for long service life
- Variants with adjustable light color (Tunable White) to emulate the natural course of daylight

neva
lux

850 x 95 mm



ayana connect LS C850 4K

Product code 222010

AYANA

Technical Data

DIMENSIONS			LED colour deviation			SDCM3	With program-controlled lighting control			Yes
Dimensions Ø x H			Colour rendering index			80-89				
ELECTRICAL			Illuminant			LED	HOUSING & MATERIAL			
Mains connection			Luminous flux			9800 lm (Down 8430, Up 1370)	Protection class (IP)			IP20
Power			Beam angle			105°	Protection class			I
Replaceable driver			Luminaire luminous efficacy			125 lm/W	Ambient temperature			-20...45 °C
Type of wiring			Glare value			UGR < 21	Housing material			Steel
SENSOR TECHNOLOGY			LIFETIME				Cover material			Acrylic glass opal
With motion detector			LED lifespan (25 °C)			70000 h	Mounting type			Ceiling / wall surface-mounted
With light sensor			SETTINGS				SCOPE OF DELIVERY & WARRANTY			
CONNECTIVITY			DALI dimming			Yes	Manufacturer warranty			5 years
With radio network control			With emergency light			No	CERTIFICATES & EPREL			
LIGHTING TECHNOLOGY			Direct/indirect ratio separately controllable			No	EPREL energy efficiency class			D
Colour temperature										
4000 K										

ayana connect LS C850 4K

Product code 222010

AYANA

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221105	ayana Diffusor 850 CDP	Cover
 221108	Emergency Package 1h (Astra)	Emergency lighting
 221570	Connect TK2 BLM	Pushbutton interface
 221591	Smartlink T-Board PB4	Wireless push-button
 221970	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB2	Wireless push-button
 221971	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB4	Wireless push-button

ORDERING INFORMATION

Art.-Nr.

222010

Typ

ayana connect LS C850 4K

nevalux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss