

HF 360-2 COM1 - concealed white

PRESENCE DETECTOR

neva
lux

EAN 4007841086558

E-Nr. 535903137

- Perfect radial detection with a range of up to 25 m, ideal for long corridors and hallways
- Customisable range that can be set individually in both directions
- Control PRO II design for a modern and functional look that enables versatile applications
- Bluetooth technology for simple connection and control via Bluetooth
- Multiple interfaces, compatible with COM1, COM2, DALI-2 APC, DALI-2 IPD, KNX, IP and BT IPD
- External light measurement required for black sensors that can be integrated via Bluetooth or KNX

 **steinel**

61 x 103 x 103 mm




HF 360-2 COM1 - concealed white

PRESENCE DETECTOR

EAN 4007841086558
E-Nr. 535903137

Illustrations

TECHNICAL DRAWINGS



61 x 103 x 103 mm

MOUNTING HEIGHT

2,5 – 4 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
----------------------	------------------	---------------

HF 360-2 COM1 - concealed white


PRESENCE DETECTOR

EAN 4007841086558

E-Nr. 535903137

Wiring Diagrams

WIRING DIAGRAM 1



Master circuit diagram

HF 360-2 COM1 - concealed white

PRESENCE DETECTOR

EAN 4007841086558

E-Nr. 535903137

Highlights



UV-resistant plastic

HF 360-2 COM1 - concealed white

PRESENCE DETECTOR

EAN 4007841086558

E-Nr. 535903137

Accessories

ORDERING INFORMATION	
Art.-Nr.	086558
EAN	4007841086558
E-Number	535903137
Typ	HF 360-2 COM1 - concealed white

neva lux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss
