

# RS PRO P2 flat warm white

LED INDOOR LIGHT WITHOUT SENSOR

**neva**  
**lux**

EAN 4007841069766

E-Nr. 941003579

 **steinel**

322 x 68 mm



RS PRO P2 flat warm white

LED INDOOR LIGHT WITHOUT SENSOR

EAN 4007841069766

E-Nr. 941003579

Technical Data

| DIMENSIONS                  |                          |
|-----------------------------|--------------------------|
| Dimensions Ø × H            | 322 x 68 mm              |
| ELECTRICAL                  |                          |
| Mains connection            | 220 – 240 V / 50 – 60 Hz |
| Power                       | 14 W                     |
| SENSOR TECHNOLOGY           |                          |
| With motion detector        | No                       |
| CONNECTIVITY                |                          |
| Networking via              | Cable                    |
| LIGHTING TECHNOLOGY         |                          |
| Measured luminous flux 360° | 1653 lm                  |
| Colour temperature          | 3000 K                   |

| With illuminant                | Yes, STEINEL LED system |
|--------------------------------|-------------------------|
| Illuminant                     | LED cannot be replaced  |
| Base                           | without                 |
| LED cooling system             | Passive Thermo Control  |
| Soft light start               | Yes                     |
| LIFETIME                       |                         |
| LED lifetime max. °C           | 50000 h                 |
| LED lifetime L70B50 25°C       | > 60000 h               |
| Luminous flux decline per LM80 | L80B10                  |
| SETTINGS                       |                         |
| Main light adjustable          | No                      |
| HOUSING & MATERIAL             |                         |
| Impact resistance              | IK03                    |

| Protection class (IP)        | IP54                                            |
|------------------------------|-------------------------------------------------|
| Protection class             | II                                              |
| Ambient temperature          | from -10 up to 40 °C                            |
| Housing material             | Plastic                                         |
| Cover material               | Plastic, opal                                   |
| Mounting location            | ceiling wall                                    |
| Colour                       | white                                           |
| SCOPE OF DELIVERY & WARRANTY |                                                 |
| Manufacturer warranty        | 5 years                                         |
| CERTIFICATES & EPREL         |                                                 |
| Certificates                 | DEKRA                                           |
| EPREL category               | Surrounded product with integrated light source |

# RS PRO P2 flat warm white


LED INDOOR LIGHT WITHOUT SENSOR

EAN 4007841069766

E-Nr. 941003579

## Illustrations

### TECHNICAL DRAWINGS



322 x 68 mm

RS PRO P2 flat warm white


LED INDOOR LIGHT WITHOUT SENSOR

EAN 4007841069766

E-Nr. 941003579


Wiring Diagrams

WIRING DIAGRAM 1



Master circuit diagram

WIRING DIAGRAM 2



Master/slave interconnection circuit diagram

# RS PRO P2 flat warm white

LED INDOOR LIGHT WITHOUT SENSOR


EAN 4007841069766

E-Nr. 941003579

## Highlights



Including STEINEL LED system



Intelligent soft light start



Interconnectable by cable (maximum of 10 units)

RS PRO P2 flat warm white

LED INDOOR LIGHT WITHOUT SENSOR

EAN 4007841069766

E-Nr. 941003579

Accessories

| ORDERING INFORMATION |                           |
|----------------------|---------------------------|
| Art.-Nr.             | 069766                    |
| EAN                  | 4007841069766             |
| E-Number             | 941003579                 |
| Typ                  | RS PRO P2 flat warm white |

neva  
lux

nevalux AG  
Neugrütstrasse 2  
8610 Uster  
+41 44 508 78 78  
info@nevalux.swiss