

IS 2140 ECO white

MOTION DETECTOR

neva
lux

EAN 4007841034672

● steinel

83 x 99 x 86 mm



IS 2140 ECO white

MOTION DETECTOR

EAN 4007841034672

Technical Data

IDENTIFICATION		SENSOR TECHNOLOGY		Base light function	
Version	Motion detectors	Max. mounting height	3,00 m	Main light adjustable	No
DIMENSIONS		Sensor technology	passive infrared	Settings via	Potentiometers
Dimensions L x W x H	83 x 99 x 86 mm	Detection angle	140 °	HOUSING & MATERIAL	
ELECTRICAL		Sneak-under protection	Yes	Protection class (IP)	IP54
Mains connection	230 – 240 V / 50 – 60 Hz	Segment-by-segment masking	Yes	Ambient temperature	from -20 up to 50 °C
Switching output 1 resistive	2000 W	Electronic scalability	No	Mounting location	wall
Fluorescent lamps ECG	250 W	Mechanical scalability	No	Application location	Indoors Outdoors
Fluorescent lamps uncompensated	500 VA	Radial range	r = 3 m (11 m²)	Mounting type	Surface wiring
Fluorescent lamps series-compensated	1000 VA	Tangential range	r = 14 m (239 m²)	Material	Plastic
Fluorescent lamps parallel-compensated	500 VA	Mounting height	1,80 – 3,00 m	Application room	all round the building courtyard & driveway front door outdoors terrace / balcony
Switching output 1 low-voltage halogen lamps	1000 VA	Optimal mounting height	2 m	SCOPE OF DELIVERY & WARRANTY	
LED lamps < 2 W	100 W	LIGHTING TECHNOLOGY		Colour	white
LED lamps > 2 W < 8 W	125 W	Soft light start	No	RAL colour	9010
LED lamps > 8 W	250 W	Continuous light	selectable	CERTIFICATES & EPREL	
		SETTINGS		Manufacturer warranty	5 years
		Twilight setting	2 – 2000 lx	CERTIFICATES & EPREL	
		Time setting	8 s – 35 Min.	Certificates	VDE


IS 2140 ECO white

MOTION DETECTOR

EAN 4007841034672

Illustrations

TECHNICAL DRAWINGS



83 x 99 x 86 mm

MOUNTING HEIGHT

1,80 – 3,00 m BEREICH	2 m OPTIMAL	3,00 m MAX
--------------------------	----------------	---------------


IS 2140 ECO white

MOTION DETECTOR

EAN 4007841034672


Wiring Diagrams

WIRING DIAGRAM 1



Light without neutral conductor

WIRING DIAGRAM 2



Light with neutral conductor

IS 2140 ECO white

EAN 4007841034672

MOTION DETECTOR

Highlights



UV-resistant plastic



Optional corner wall mount bracket

IS 2140 ECO white

MOTION DETECTOR

EAN 4007841034672

Accessories

ORDERING INFORMATION	
Art.-Nr.	034672
EAN	4007841034672
Typ	IS 2140 ECO white
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	