
lisha W1200 4K

WANDLEUCHTE DIREKT-INDIREKT, LINKABLE

Product code **221378**

- For universal use in lighting offices, schools, lobbies, traffic zones, etc.
- Convincing concept for simple and fast mounting
- Link technology for seamless extension of the continuous row with through-wiring
- Dimmable DALI
- Variants with 0.6, 1.2 and 1.8 meter length available
- Housing Aluminum White

1210 x 51 x 85 mm



lisha W1200 4K

WANDLEUCHTE DIREKT-INDIREKT, LINKABLE

Product code **221378**

Technical Data

DIMENSIONS

Dimensions L × W × H	**1210 x 51 x 85 mm**

ELECTRICAL

Mains connection	**200…240 V / 50 – 60 Hz**
Power	**30 W**
Replaceable driver	**Yes**
Type of wiring	**Through wiring included**

SENSOR TECHNOLOGY

With motion detector	**No**
With light sensor	**No**

CONNECTIVITY

Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Colour temperature	**4000 K**
LED colour deviation	**SDCM3**
Colour rendering index	**80-89**
Illuminant	**Yes, LED-System**
Luminous flux	**3900 lm (Down 1950, Up 1950)**
Beam angle	**15° Wallwasher**
Luminaire luminous efficacy	**130 lm/W**
Glare value	**UGR < 19**

LIFETIME

LED lifespan (25 °C)	**50000 h**

SETTINGS

DALI dimming	**Yes**
With emergency light	**No**
Suitable for light band configuration	**Yes**

HOUSING & MATERIAL

Protection class (IP)	**IP20**
Protection class	**I**
Ambient temperature	**-20…45 °C**
Housing material	**Aluminium**
Cover material	**Microprismatic acrylic glass**
Mounting type	**Wall surface-mounted**
Colour	**white**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**

CERTIFICATES & EPREL

EPREL energy efficiency class	**D**


lisha W1200 4K

WANDLEUCHTE DIREKT-INDIREKT, LINKABLE

Product code **221378**

Illustrations

TECHNICAL DRAWINGS



1210 x 51 x 85 mm


lisha W1200 4K

WANDLEUCHTE DIREKT-INDIREKT, LINKABLE

Product code **221378**

Wiring Diagrams

WIRING DIAGRAM 1



Wiring diagram

lisha W1200 4K

WANDLEUCHTE DIREKT-INDIREKT, LINKABLE

Product code **221378**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	220176	**lisha C1200 4K**	Ceiling luminaire, linkable
	220178	**lisha C1200 Wallwasher 4K**	Ceiling luminaire, linkable
	220180	**lisha P1200 4K**	Pendant luminaire direct/indirect, linkable
	220182	**lisha P1200 Wallwasher 4K**	Pendant luminaire direct/indirect, linkable

ORDERING INFORMATION

Art.-Nr.	221378
Typ	**lisha W1200 4K**

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss