

IS 3180 KNX - concealed, sq.

MOTION DETECTOR

neva
lux

EAN 4007841058142

E-Nr. 535942509

 **steinel**

78 x 94 x 94 mm



IS 3180 KNX - concealed, sq.
MOTION DETECTOR

EAN 4007841058142
E-Nr. 535942509

Technical Data


IDENTIFICATION		Optimal mounting height		2 m	Settings via		ETS software Remote control
Version		Motion detectors			Bus Smart Remote		
DIMENSIONS		CONNECTIVITY			With remote control		No
Dimensions L x W x H		Networking		Yes	Twilight setting teach		Yes
78 x 94 x 94 mm		Type of networking		Master/slave	HOUSING & MATERIAL		
ELECTRICAL		Networking via		KNX bus	Protection class (IP)		IP20
Supply voltage detail		KNX functions		Photo-cell controller Basic light level function Light level HVAC output Constant- lighting control Light output 2x Presence output Day / night function Logic gate	Ambient temperature		from -20 up to 50 °C
SENSOR TECHNOLOGY		With bus coupler		Yes	Mounting location		corner wall
Max. mounting height		LIGHTING TECHNOLOGY			Application location		Indoors Outdoors
Sensor technology		Soft light start		Yes	Mounting type		Concealed wiring
Detection angle		Continuous light		selectable	Material		Plastic
Opening angle		Constant light regulation		Yes	Application room		Indoors all round the building corridor / aisle courtyard & driveway function room / ancillary room multi-storey / underground car park outdoors stairwell
Sneak-under protection		SETTINGS			Colour		white
Segment-by-segment masking		Twilight switch		Yes	RAL colour		9003
Electronic scalability		Twilight setting		2 – 1000 lx	SCOPE OF DELIVERY & WARRANTY		
Mechanical scalability		Time setting		5 s – 15 Min.	Manufacturer warranty		5 years
Radial range		Base light function		Yes	Corner wall bracket included		No
Tangential range		Main light adjustable		0 - 100 %			
Switching zones							
448 switching zones							
Mounting height							
1,80 – 2,50 m							

IS 3180 KNX - concealed, sq.
MOTION DETECTOR

EAN 4007841058142
E-Nr. 535942509

Illustrations

TECHNICAL DRAWINGS



78 x 94 x 94 mm

MOUNTING HEIGHT

1,80 – 2,50 m BEREICH	2 m OPTIMAL	2,50 m MAX
--------------------------	----------------	---------------

IS 3180 KNX - concealed, sq.

MOTION DETECTOR

EAN 4007841058142

E-Nr. 535942509

Highlights



UV-resistant plastic



Optional remote controls



Smart Remote remote control optional

IS 3180 KNX - concealed, sq.
MOTION DETECTOR

EAN 4007841058142
E-Nr. 535942509

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841009151	Smart Remote	Accessory
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory
 4007841056728	Schwarze Blende für IR-Sensoren Unterputz eckig	Accessory

ORDERING INFORMATION

Art.-Nr.

058142

EAN

4007841058142

E-Number

535942509

Typ

IS 3180 KNX - concealed, sq.

nevalux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss