

L 20 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

neva
lux

EAN 4007841035693

E-Nr. 924368269

- Outdoor light with motion detector and pleasant ambient light on the house wall
- High-quality stainless steel trim as well as UV-resistant, impact-resistant material according to IK07 for a long service life
- Automatic light thanks to 180 ° Infrared sensor with up to 10 m detection of movement
- Detection area and range can be individually limited using the cover stickers supplied and the swivelling sensor (90° vertical)
- With E27 socket for incandescent lamps with max. 60 W as well as for energy-saving lamps or LED bulbs with max. 20 W (not included in the scope of delivery)
- Incl. mounting accessories - plastic-free packaging

● steinel

85 x 230 x 250 mm



L 20 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841035693

E-Nr. 924368269

Technical Data

DIMENSIONS	
Dimensions L x W x H	85 x 230 x 250 mm
ELECTRICAL	
Mains connection	230 – 240 V / 50 Hz
Power	60 W
Own consumption	0,55 W
SENSOR TECHNOLOGY	
Max. mounting height	3,00 m
Sensor technology	passive infrared
With motion detector	Yes
Detection angle	180 °
Sneak-under protection	Yes
Segment-by-segment masking	Yes
Electronic scalability	No
Mechanical scalability	No
Radial range	r = 3 m (14 m²)
Tangential range	r = 10 m (157 m²)

Mounting height	1,80 – 3,00 m
Optimal mounting height	2 m
CONNECTIVITY	
Networking	No
Slave mode adjustable	No
LIGHTING TECHNOLOGY	
With illuminant	No
Illuminant	All-purpose lamp
Base	E27
Soft light start	No
SETTINGS	
Twilight switch	Yes
Twilight setting	2 – 2000 lx
Time setting	8 s – 35 Min.
Base light function	No
Settings via	Potentiometers
With remote control	No
Twilight setting teach	No

HOUSING & MATERIAL	
Impact resistance	IK07
Protection class (IP)	IP44
Protection class	II
Ambient temperature	from -20 up to 40 °C
Housing material	Stainless steel
Cover material	Plastic, opal
Cover material (scope of delivery)	sticker
Mounting location	wall
Application location	Outdoors
Mounting type	Surface wiring
Application room	all round the building courtyard & driveway front door outdoors terrace / balcony
Colour	Anthracite
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	3 years

L 20 S Anthracite


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841035693

E-Nr. 924368269

Illustrations

TECHNICAL DRAWINGS



85 x 230 x 250 mm

MOUNTING HEIGHT

1,80 – 3,00 m BEREICH	2 m OPTIMAL	3,00 m MAX
---	-----------------------------------	----------------------------------

L 20 S Anthracite


E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841035693

E-Nr. 924368269

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram


L 20 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841035693

E-Nr. 924368269

Highlights



Impact-resistant material rated to IK07



High-quality designer trim panel in stainless steel

L 20 S Anthracite

E27 SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841035693

E-Nr. 924368269

Accessories

ORDERING INFORMATION	
Art.-Nr.	035693
EAN	4007841035693
E-Number	924368269
Typ	L 20 S Anthracite
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	