

lisha V2 connect PIR C1200 4K

LISHA V2


neva
lux

Product code **221977**

- For universal use for illumination of offices, schools, traffic zones, etc.
- Connect version with IoT lighting control for next generation lighting projects (swarm function, grouping, cleaning light etc.)
- Connect version available with light sensor (LS) or with motion detector and light sensor (PIR)
- Microprismatic diffuser for best possible glare control
- Link technology for seamless extension of the luminaire with continuous wiring
- Variants with 1.2 and 1.5 meter length available
- Housing Aluminium white

neva
lux

1218 x 60 x 80 mm



lisha V2 connect PIR C1200 4K

LISHA V2

Product code 221977

Technical Data

DIMENSIONS			
Dimensions L x W x H	1218 x 60 x 80 mm		
ELECTRICAL			
Mains connection	200...240 V / 50 – 60 Hz		
Power	30 W		
Replaceable driver	Yes		
Type of wiring	Through wiring included		
LED rated current	700 mA		
Maximum number of luminaires per circuit breaker	C10: 45x, C13: 56x, C16: 70x, C20: 87x, B10: 30x, B13: 48x, B16: 60x, B20: 75x		
SENSOR TECHNOLOGY			
Sensor technology	passive infrared	With light sensor	Yes
With motion detector	Yes	CONNECTIVITY	
Detection angle	360 °	With radio network control	Yes
Radial range	4 x 4 m (16 m²)	LIGHTING TECHNOLOGY	
Tangential range	6 x 6 m (36 m²)	Colour temperature	4000 K
Presence range	4 x 4 m (16 m²)	LED colour deviation	SDCM3
		Colour rendering index	80-89
		Illuminant	LED
		Luminous flux	3600 lm
		Beam angle	90°
		Luminaire luminous efficacy	120 lm/W
		Glare value	UGR < 22
		LIFETIME	
		LED lifespan (25 °C)	50000 h
		SETTINGS	
		DALI dimming	Yes
		With emergency light	No
		Suitable for light band configuration	Yes
		With program-controlled lighting control	Yes
		Constant light output control	Yes
		HOUSING & MATERIAL	
		Protection class (IP)	IP20
		Protection class	I
		Ambient temperature	-20...45 °C
		Housing material	Aluminum
		Cover material	Microprismatic acrylic glass
		Mounting type	Ceiling surface-mounted
		Colour	white
		SCOPE OF DELIVERY & WARRANTY	
		Manufacturer warranty	5 years
		CERTIFICATES & EPREL	
		EPREL energy efficiency class	E

lisha V2 connect PIR C1200 4K

LISHA V2

Product code 221977

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 221642	lisha V2 Diffusor 1M	Cover
 221772	lisha V2 Link C	Coupler/connector straight
 221618	Emergency Package 1h (50V/3.5W)	Emergency lighting
 221570	Connect TK2 BLM	Pushbutton interface
 221591	Smartlink T-Board PB4	Wireless push-button
 221970	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB2	Wireless push-button
 221971	Bluetooth EDIZIO.liv SNAPFIX Low Energy PB4	Wireless push-button

ORDERING INFORMATION

Art.-Nr.

221977

Typ

lisha V2 connect PIR C1200 4K

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss