L 940 C without motion detector, with Bluetooth

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841087746
E-Nr. 941463369

- Stylish lighting accents: effective lighting upwards and downwards (Up- & Downlight) without motion detector
- High-quality material: Elegant and puristic design made of durable aluminium, sensor integrated almost invisibly
- STEINEL Connect: Wireless networking of several lights via Bluetooth and simple setting via app
- Scope of delivery: Incl. 2x GU-10 LED bulbs with warm white light (3000 K) with 620 lm each at 14.5 W, mounting accessories - Plastic-free packaging

115 x 70 x 160 mm



L 940 C without motion detector, with Bluetooth

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841087746**
E-Nr. **941463369**

Technical Data

DIMENSIONS

Dimensions L × W × H	**115 x 70 x 160 mm**

ELECTRICAL

Mains connection	**220 – 240 V / 50 – 60 Hz**
Power	**14,5 W**

SENSOR TECHNOLOGY

With motion detector	**No**

CONNECTIVITY

Networking	**Yes**
Type of networking	**Sensor/slave**
Control technology	**Steinel Connect**
Wireless networking via	**BT SIG Mesh**

LIGHTING TECHNOLOGY

Colour temperature	**3000 K**
Colour rendering index	**= 81**
With illuminant	**Yes, LED lamp**
Illuminant	**LED can be replaced**
Base	**GU10**

LIFETIME

LED lifetime L70B50 25°C	**> 20000 h**

SETTINGS

Base light function	**No**
Main light adjustable	**No**
Functions	**Push button configuration Pushbutton / switch mode**
Settings via	**Bluetooth Mesh**
With remote control	**No**

HOUSING & MATERIAL

Protection class (IP)	**IP44**
Protection class	**I**
Ambient temperature	**from -20 up to 40 °C**
Housing material	**Aluminium**
Cover material	**Plastic, structured**
Mounting location	**wall**
Application location	**Outdoors**
Mounting type	**Surface wiring**
Material	**Aluminium**
Application room	**outdoors**
Colour	**Anthracite**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**3 years**
House number sheet included	**No**

CERTIFICATES & EPREL

Certificates	**VDE**
EPREL category	**Surrounded product with separate light source (e.g. E27)**


L 940 C without motion detector, with Bluetooth

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841087746**
E-Nr. **941463369**

Illustrations

TECHNICAL DRAWINGS



115 x 70 x 160 mm


L 940 C without motion detector, with Bluetooth

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841087746**
E-Nr. **941463369**


Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram Bluetooth

WIRING DIAGRAM 2



Circuit diagram Bluetooth

L 940 C without motion detector, with Bluetooth


LED OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841087746**
E-Nr. **941463369**

Highlights



Including GU10 LED lamp



High-quality aluminium



LED ambient light




Interconnectable and adjustable via Bluetooth Mesh

L 940 C without motion detector, with Bluetooth

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN **4007841087746**
E-Nr. **941463369**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841088620	**Funkschalter TapDuo C**	System components

ORDERING INFORMATION

Art.-Nr.	087746
EAN	4007841087746
E-Number	941463369
Typ	**L 940 C without motion detector, with Bluetooth**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss