

Single US DALI-2 Input Device

neva
lux

Product code 4007841057503

E-Nr. 535933100

- Optional surface-mounting adapter
- Optional guard cage

neva
lux

71 x 120 x 120 mm



Single US DALI-2 Input Device

Product code **4007841057503**
E-Nr. **535933100**

Technical Data

IDENTIFICATION					
Version	Presence detector	Tangential range	10 x 3 m (30 m²)	Settings via	Bus
DIMENSIONS		Mounting height	2,50 – 3,50 m	With remote control	No
Dimensions L x W x H	71 x 120 x 120 mm	US technology	40 kHz	Twilight setting teach	No
ELECTRICAL		Optimal mounting height	2,5 m	HOUSING & MATERIAL	
Mains connection	16 V	CONNECTIVITY		Ambient temperature	-25 – +55 °C
Supply voltage detail	DALI bus	Networking	Yes	Mounting location	ceiling
Control output DALI	Addressable/slave	Type of networking	Master/slave	Application location	Indoors
SENSOR TECHNOLOGY		Networking via	DALI bus	Mounting type	Concealed wiring
Max. mounting height	3,50 m	Number of DALI participants	10	Material	Plastic
Sensor technology	Ultrasonic	LIGHTING TECHNOLOGY		Application room	Indoors corridor / aisle stairwell
Detection angle	180 °	Soft light start	No	Colour	white
Opening angle	180 °	Constant light regulation	No	RAL colour	9010
Sneak-under protection	Yes	SETTINGS		SCOPE OF DELIVERY & WARRANTY	
Segment-by-segment masking	No	Twilight switch	Yes	Manufacturer warranty	5 years
Electronic scalability	Yes	Twilight setting	10 – 1000 lx	Corner wall bracket included	No
Mechanical scalability	No	Base light function	No	CERTIFICATES & EPREL	
Radial range	10 x 3 m (30 m²)	Main light adjustable	No	Certificates	DALI-2

Single US DALI-2 Input Device

Product code **4007841057503**
E-Nr. **535933100**

Illustrations

MOUNTING HEIGHT

2,50 – 3,50 m BEREICH	2,5 m OPTIMAL	3,50 m MAX
--------------------------	------------------	---------------

Single US DALI-2 Input Device

Product code **4007841057503**
E-Nr. **535933100**

Accessories

ORDERING INFORMATION	
Art.-Nr.	4007841057503
E-Number	535933100
Typ	Single US DALI-2 Input Device
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	