

XSolar SOL-0 HN Anthracite

SOLAR LIGHT

neva
lux

EAN 4007841065935

E-Num. 924708019

- Solar light with twilight sensor and house number panel, in elegant simple design with high quality aluminium housing.
- Fast and flexible installation even in places without cable connection, 0€ electricity costs for 365 days of light a year
- Thanks to the monocrystalline solar panel, the powerful lithium-ferrum battery charges optimally even in cloudy weather and with few hours of sunlight, 2000 mAh capacity for up to 40 days of light reserve
- Thanks to the brightness sensor, the light comes on automatically at dusk - and goes off again at dawn
- Functions: Evening mode for 4 hrs. continuous lighting, night mode for reduced continuous lighting all night, pleasant soft light start
- Warm white light (3000 K) with long-life LED lighting system (50.000 h LED service life)
- Incl. house number arch and mounting accessories - plastic-free packaging

 **steinel**

91 x 242 x 183 mm



XSolar SOL-O HN Anthracite

SOLAR LIGHT

EAN 4007841065935
E-Nr. 924708019

Technical Data

DIMENSIONS				HOUSING & MATERIAL	
Dimensions L x W x H	91 x 242 x 183 mm	With illuminant	Yes, STEINEL LED system	Impact resistance	IK03
		Illuminant	LED cannot be replaced	Protection class (IP)	IP44
ELECTRICAL		Base	without	Protection class	III
Power	0,07 W	LED cooling system	Passive Thermo Control	Ambient temperature	from -20 up to 40 °C
Supply voltage detail	Solar supply, no mains power required Lithium-iron-phosphate rechargeable battery 2000 mAh	Soft light start	Yes	Housing material	Aluminium
		Efficiency without cover	100 lm/W	Cover material	Plastic, structured
SENSOR TECHNOLOGY		LIFETIME		Mounting location	wall
Max. mounting height	2,50 m	LED lifetime max. °C	50000 h	Application location	Outdoors
Sensor technology	Light sensor	Luminous flux decline per LM80	L70B10	Mounting type	Surface wiring
With motion detector	No	SETTINGS		Application room	courtyard & driveway front door outdoors
Mounting height	1,80 – 2,50 m	Twilight switch	Yes	Colour	Anthracite
		Twilight setting	2 lx	SCOPE OF DELIVERY & WARRANTY	
LIGHTING TECHNOLOGY		Base light function	Yes	Manufacturer warranty	3 years
Measured luminous flux 360°	7 lm	Base light function time	all night	House number sheet included	Yes
Colour temperature	3000 K	Functions	Light sensor	CERTIFICATES & EPREL	
LED colour deviation	SDCM5	Settings via	Potentiometers	Certificates	GS
Colour rendering index	80-89				

XSolar SOL-O HN Anthracite


SOLAR LIGHT

EAN 4007841065935

E-Nr. 924708019

Illustrations

TECHNICAL DRAWINGS



91 x 242 x 183 mm

MOUNTING HEIGHT

1,80 – 2,50 m BEREICH	2,50 m MAX
--------------------------	---------------

XSolar SOL-O HN Anthracite

SOLAR LIGHT


EAN 4007841065935

E-Nr. 924708019


Highlights




Including STEINEL LED system



Intelligent soft light start




High-quality monocrystalline solar panel



Includes lithium iron-phosphate rechargeable battery



High-quality aluminium



House number illumination throughout the night



Including sheet of self-adhesive house numbers

XSolar SOL-O HN Anthracite

SOLAR LIGHT

EAN 4007841065935

E-Nr. 924708019

Accessories

ORDERING INFORMATION	
Art.-Nr.	065935
EAN	4007841065935
E-Number	924708019
Typ	XSolar SOL-O HN Anthracite
neva lux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	