

RS PRO Connect R20 warmweiss



Product code **4007841057107**

E-Nr. **941301229**

- Including STEINEL LED system
- Interconnectable and adjustable via Bluetooth
- Impact-resistant material rated to IK07
- Backlight function
- Optional basic lighting level 10 - 50 %
- Optional main light level 50 - 100%
- Optional emergency light

neva
lux

350 x 55 mm



RS PRO Connect R20 warmweiss

Product code **4007841057107**
E-Nr. **941301229**

Technical Data

IDENTIFICATION	
Variant	warm white
DIMENSIONS	
Dimensions Ø × H	350 x 55 mm
ELECTRICAL	
Mains connection	220 – 240 V / 50 – 60 Hz
Power	16 W
Own consumption	0,5 W
SENSOR TECHNOLOGY	
Sensor technology	High frequency
Transmission power	< 1 mW
HF technology	5,8 GHz
With motion detector	Yes
Detection	also through glass, wood and stud walls
Detection angle	360 °
Opening angle	160 °
Segment-by-segment masking	Yes
Electronic scalability	Yes
Mechanical scalability	No
Radial range	Ø 10 m (79 m²)
CONNECTIVITY	
Networking	Yes
Type of networking	Master/slave
LIGHTING TECHNOLOGY	
Colour temperature	3000 K
LED colour deviation	SDCM3
Colour rendering index	80-89
With illuminant	Yes, STEINEL LED system
Illuminant	LED cannot be replaced
Base	without
LED cooling system	Passive Thermo Control
Soft light start	Yes
Continuous light	selectable
Luminous flux	1950 lm
LIFETIME	
LED lifetime max. °C	50000 h
Luminous flux decline per LM80	L80B50
LED lifespan (25 °C)	60000 h
SETTINGS	
Twilight switch	Yes
Twilight setting	2 – 2000 lx
Time setting	5 sec – 30 min
Base light function	Yes
Base light function detail	LED Backlight
Base light function time	10-30 min, all night
Functions	Group parameterisation, Manual ON / ON-OFF, Master/slave override, Neighbouring-group function, Presence function, Backlight
Settings via	Bluetooth
With remote control	No
HOUSING & MATERIAL	
Impact resistance	IK07
Protection class (IP)	IP40
Protection class	II
Ambient temperature	-20 – 40 °C
Housing material	Plastic
Cover material	PC, opal
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	5 years

RS PRO Connect R20 warmweiss

Product code **4007841057107**
E-Nr. **941301229**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841064143	Notlicht-Modul R-Serie	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841057107

E-Number

941301229

Typ

RS PRO Connect R20 warmweiss

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss