

XLED ONE XL S Anthracite

SENSOR-SWITCHED LED FLOODLIGHT

neva
lux

EAN 4007841065263

E-Num. 941200439

- Spotlight with motion detector for wall and ceiling mounting with floodlight-like illumination of large areas
- Never change bulbs again thanks to 50,000 hours LED life (approx. 30 years at 4.5 hours/day)
- Automatic light thanks to 180 ° Infrared sensor with up to 12 m detection of movement
- LED panel as well as sensor can be swivelled vertically by 180°, incl. cover sticker for exact adjustment of the detection area
- Warm white light (3000 K) and long-life 42,6 W LEDs with 4200 lm, with an illumination of max. 300 sqm, max. 3m mounting height
- Incl. mounting accessories - plastic-free packaging

 **steinel**

222 x 259 x 215 mm



XLED ONE XL S Anthracite


SENSOR-SWITCHED LED FLOODLIGHT

EAN 4007841065263

E-Nr. 941200439

Illustrations

TECHNICAL DRAWINGS



222 x 259 x 215 mm

MOUNTING HEIGHT

1,8 – 3 m BEREICH	2 m OPTIMAL	3,00 m MAX
----------------------	----------------	---------------


XLED ONE XL S Anthracite

SENSOR-SWITCHED LED FLOODLIGHT

EAN 4007841065263
E-Nr. 941200439

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

XLED ONE XL S Anthracite

SENSOR-SWITCHED LED FLOODLIGHT

EAN 4007841065263

E-Nr. 941200439

Highlights



Including STEINEL LED system



UV resistant material



High-quality aluminium



Suitable for mounting on ceilings

XLED ONE XL S Anthracite

SENSOR-SWITCHED LED FLOODLIGHT

EAN 4007841065263

E-Nr. 941200439

Accessories

ORDERING INFORMATION	
Art.-Nr.	065263
EAN	4007841065263
E-Number	941200439
Typ	XLED ONE XL S Anthracite
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	