RS PRO 5100 C without motion detector

LED INDOOR LIGHT WITHOUT SENSOR

EAN 4007841079178
E-Nr. 941336979

- Including STEINEL LED system
- Interconnectable and adjustable via Bluetooth
- Impact-resistant material rated to IK07
- Optional basic lighting level 0 - 100 %
- Adjustable main light brighness (0 - 100%)
- Adjustable mounts for easy installation

1370 x 87 x 58 mm



RS PRO 5100 C without motion detector

LED INDOOR LIGHT WITHOUT SENSOR

EAN **4007841079178**
E-Nr. **941336979**

Technical Data

DIMENSIONS

Dimensions L × W × H	**1370 x 87 x 58 mm**

ELECTRICAL

Mains connection	**220 – 240 V / 50 – 60 Hz**
Power	**31 W**
Own consumption	**0,45 W**

SENSOR TECHNOLOGY

With motion detector	**No**
Electronic scalability	**Yes**

CONNECTIVITY

Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Measured luminous flux 360°	**4250 lm**
Colour temperature	**4000 K**
Illuminant	**LED cannot be replaced**
LED cooling system	**Passive Thermo Control**

LIFETIME

LED lifetime max. °C	**60000 h**
LED lifetime L70B50 25°C	**> 60000 h**
Luminous flux decline per LM80	**L80B10**

SETTINGS

Base light function	**Yes**
Base light function time	**1-60 min**
Main light adjustable	**0 - 100 %**

HOUSING & MATERIAL

Impact resistance	**IK07**
Protection class (IP)	**IP65**
Protection class	**II**
Ambient temperature	**-20 – 40 °C**
Housing material	**Plastic**
Cover material	**Plastic, structured**
Mounting location	**ceiling wall**
Colour	**grey**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**5 years**

CERTIFICATES & EPREL

Certificates	**DEKRA**
EPREL category	**Surrounded product with integrated light source**


RS PRO 5100 C without motion detector

LED INDOOR LIGHT WITHOUT SENSOR

EAN **4007841079178**
E-Nr. **941336979**

Illustrations

TECHNICAL DRAWINGS



1370 x 87 x 58 mm


RS PRO 5100 C without motion detector

LED INDOOR LIGHT WITHOUT SENSOR

EAN 4007841079178
E-Nr. 941336979

Wiring Diagrams

WIRING DIAGRAM 1



Master/slave interconnection circuit diagram

RS PRO 5100 C without motion detector

LED INDOOR LIGHT WITHOUT SENSOR

EAN **4007841079178**
E-Nr. **941336979**

Accessories

ORDERING INFORMATION

Art.-Nr.	4007841079178
EAN	4007841079178
E-Number	941336979
Typ	**RS PRO 5100 C without motion detector**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss