

RS PRO LED S1 IP65 warmweiss

neva
lux

Product code **4007841057824**

E-Nr. **941000349**

- Including STEINEL LED system
- Intelligent LED cooling system
- Optional basic lighting level 10 %
- Wireless interconnection
- High-quality aluminium
- Impact-resistant material rated to IK10
- Optional remote control

neva
lux

300 x 71 mm



RS PRO LED S1 IP65 warmweiss

Product code **4007841057824**
E-Nr. **941000349**

Technical Data

IDENTIFICATION		LIGHTING TECHNOLOGY		Base light function		Yes
Variant	warm white	Colour temperature	3000 K	Base light function time	10/30 min, all night	
DIMENSIONS		LED colour deviation	SDCM3	Functions	Manual ON / ON-OFF, Group parameterisation, Neighbouring-light function, Presence function	
Dimensions Ø × H	300 x 71 mm	Colour rendering index	80-89			
ELECTRICAL		With illuminant	Yes	Settings via	Potentiometers, DIP switches, Remote control	
Mains connection	220 – 240 V , 50 / 60 Hz	Illuminant	LED cannot be replaced			
Power	15 W	Base	without	With remote control	No	
SENSOR TECHNOLOGY		LED cooling system	Active and Passive Thermo Control	HOUSING & MATERIAL		
Sensor technology	High frequency	Soft light start	Yes	Impact resistance	IK10	
Transmission power	< 1 mW	Continuous light	selectable	Protection class (IP)	IP65	
With motion detector	Yes	Luminous flux	1092 lm	Protection class	II	
Detection	also through glass, wood and stud walls	LIFETIME		Ambient temperature	-10 – 50 °C	
Detection angle	360 °	LED lifetime max. °C	70000 h	Housing material	Aluminium	
Opening angle	160 °	Luminous flux decline per LM80	L80B10	Cover material	Plastic, opal	
Electronic scalability	Yes	SETTINGS		SCOPE OF DELIVERY & WARRANTY		
Mechanical scalability	No	Twilight switch	Yes	Manufacturer warranty	5 years	
CONNECTIVITY		Twilight setting	2 – 2000 lx			
Slave mode adjustable	Yes	Time setting	5 sec – 15 min			

RS PRO LED S1 IP65 warmweiss

Product code **4007841057824**
E-Nr. **941000349**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841009151	Smart Remote	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841057824

E-Number

941000349

Typ

RS PRO LED S1 IP65 warmweiss

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss