

IS 3360 PF - Unterputz eckig

IS 3360

neva
lux

Product code 4007841033491

E-Nr. 535945067

- UV-resistant plastic
- Optional remote controls

neva
lux

78 x 94 x 94 mm



IS 3360 PF - Unterputz eckig

IS 3360

Product code 4007841033491
E-Nr. 535945067

Technical Data

IDENTIFICATION			
Variant	PF - concealed, sq.	Detection angle	360 °
Version	Motion and Presence Detector	Opening angle	180 °
DIMENSIONS		Sneak-under protection	Yes
Dimensions L x W x H	78 x 94 x 94 mm	Segment-by-segment masking	Yes
ELECTRICAL		Electronic scalability	No
Mains connection	220 – 240 V / 50 – 60 Hz	Mechanical scalability	No
Power	2000 W	Radial range	Ø 8 m (50 m²)
Fluorescent lamps ECG	1500 W	Tangential range	Ø 40 m (1257 m²)
Fluorescent lamps uncompensated	1000 VA	Switching zones	1416 switching zones
Fluorescent lamps series-compensated	400 VA	Mounting height	2,50 – 4,00 m
Fluorescent lamps parallel-compensated	400 VA	Presence range	Ø 3 m (7 m²)
Switching output 1 low-voltage halogen lamps	2000 VA	Optimal mounting height	2,8 m
LED lamps < 2 W	100 W	FIL_4_PRO sensor technology	Passive infrared
LED lamps > 2 W < 8 W	300 W	CONNECTIVITY	
LED lamps > 8 W	600 W	Networking	Yes
Capacitive load in µF	176 µF	Type of networking	Master/master
FIL_2_PRO interfaces	PF (Switching a floating relay)	LIGHTING TECHNOLOGY	
SENSOR TECHNOLOGY		Constant light regulation	No
Sensor technology	passive infrared	SETTINGS	
		Twilight setting	2 – 1000 lx
		Time setting	5 sec – 15 min
		Base light function	No
		Functions	Normal / test mode, Manual ON / ON-OFF
		Settings via	Remote control, Potentiometers, Smart Remote
		With remote control	No
		Twilight setting teach	Yes
		HOUSING & MATERIAL	
		Protection class (IP)	IP20
		Ambient temperature	-20 – 50 °C
		Mounting location	ceiling
		Application location	Indoors
		Mounting type	Concealed wiring
		Material	Plastic
		Colour	white
		RAL colour	9003
		SCOPE OF DELIVERY & WARRANTY	
		Manufacturer warranty	5 years
		OTHER	
		Application, location, room	production facilities, recreation room, changing room, function room / ancillary room, sports hall, reception / lobby, stairwell, WC / washroom, multi-storey / underground car park, warehouse, Indoors

IS 3360 PF - Unterputz eckig

IS 3360

Product code 4007841033491
E-Nr. 535945067

Illustrations

MOUNTING HEIGHT

2,50 – 4,00 m BEREICH	2,8 m OPTIMAL
--------------------------	------------------

IS 3360 PF - Unterputz eckig

IS 3360

Product code 4007841033491
E-Nr. 535945067

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841056728	Schwarze Blende für IR-Sensoren Unterputz eckig	Accessory
 4007841009151	Smart Remote	Accessory
 4007841559410	Service Fernbedienung RC8	Accessory
 4007841056742	Schwarze Blende für IR-Sensoren Unterputz rund	Accessory

ORDERING INFORMATION

Art.-Nr.

4007841033491

E-Number

535945067

Typ

IS 3360 PF - Unterputz eckig

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss