

HF 3360 DALI-2 Application Controller - Unterputz eckig

neva
lux

Product code 4007841033743

E-Nr. 535940666

- UV-resistant plastic
- Optional remote controls

neva
lux

64 x 94 x 94 mm



HF 3360 DALI-2 Application Controller - Unterputz eckig

Product code **4007841033743**
E-Nr. **535940666**

Technical Data

IDENTIFICATION		Mechanical scalability		No	With remote control		No
Variant	DALI-2 Application Controller - concealed, sq.	Radial range	Ø 8 m (50 m²)		Twilight setting teach		Yes
Version	Motion detectors	Tangential range	Ø 8 m (50 m²)		Base light function in percent		10 – 50 %
DIMENSIONS		Mounting height	2,00 – 4,00 m		HOUSING & MATERIAL		
Dimensions L x W x H	64 x 94 x 94 mm	Optimal mounting height	2,8 m		Protection class (IP)		IP20
ELECTRICAL		FIL_4_PRO sensor technology	High frequency		Ambient temperature		-20 – 50 °C
Mains connection	220 – 240 V / 50 – 60 Hz	CONNECTIVITY			Mounting location		ceiling corner wall
Control output DALI	Broadcast 1x30 electronic ballasts	Networking	Yes		Application location		Indoors
FIL_2_PRO interfaces	DALI-2 Application Controller	Type of networking	Master/slave		Mounting type		Concealed wiring
SENSOR TECHNOLOGY		LIGHTING TECHNOLOGY			Material		Plastic
Sensor technology	High frequency	Constant light regulation	Yes		Colour		white
HF technology	5,8 GHz	SETTINGS			RAL colour		9003
Detection	also through glass, wood and stud walls	Twilight setting	2 – 1000 lx		SCOPE OF DELIVERY & WARRANTY		
Detection angle	360 °	Time setting	5 sec – 15 min		Manufacturer warranty		5 years
Opening angle	180 °	Base light function	Yes		OTHER		
Sneak-under protection	Yes	Base light function time	1-30 min, all night		Application, location, room		function room / ancillary room, stairwell, WC / washroom, multi-storey / underground car park, Indoors
Segment-by-segment masking	No	Functions	Normal / test mode, Manual ON / ON-OFF, Constant-lighting control ON-OFF				
Electronic scalability	Yes	Settings via	Remote control, Potentiometers, Smart Remote				

HF 3360 DALI-2 Application Controller - Unterputz eckig

Product code **4007841033743**
E-Nr. **535940666**

Illustrations

MOUNTING HEIGHT

2,00 – 4,00 m BEREICH	2,8 m OPTIMAL
--------------------------	------------------

HF 3360 DALI-2 Application Controller - Unterputz eckig

Product code **4007841033743**
E-Nr. **535940666**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841009151	Smart Remote	Accessory
 4007841035174	Eckwandhalter 3000 weiss	Corner adapter
 4007841056681	Schwarze Blende für den HF 3360 Unterputz eckig	Coverage
 4007841559410	Service Fernbedienung RC8	Accessory
 4007841592806	Nutzer Fernbedienung RC5	Accessory
 4007841056704	Schwarze Blende für den HF 3360 Unterputz rund	Coverage

ORDERING INFORMATION

Art.-Nr.

4007841033743

E-Number

535940666

Typ

HF 3360 DALI-2 Application Controller - Unterputz eckig

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss