

IS 3360 KNX - concealed, rd. white

MOTION AND PRESENCE DETECTOR

neva
lux

EAN 4007841058197

E-Nr. 535955308

 **steinel**

124 x 78 mm



IS 3360 KNX - concealed, rd. white

MOTION AND PRESENCE DETECTOR

EAN 4007841058197

E-Nr. 535955308

Technical Data

IDENTIFICATION			
Version	Motion and Presence Detector	Mounting height	2,50 – 4,00 m
		Presence range	Ø 3 m (7 m²)
		Optimal mounting height	2,8 m
DIMENSIONS		CONNECTIVITY	
Dimensions L x W x H	78 x 94 x 94 mm	Networking	Yes
Dimensions Ø x H	124 x 78 mm	Type of networking	Master/slave
		Networking via	KNX bus
		KNX functions	Photo-cell controller Basic light level function Light level HVAC output Constant- lighting control Light output 2x Presence output Day / night function Logic gate
		With bus coupler	Yes
ELECTRICAL		LIGHTING TECHNOLOGY	
Supply voltage detail	KNX bus	Soft light start	Yes
		Continuous light	selectable
		Constant light regulation	Yes
SENSOR TECHNOLOGY		SETTINGS	
Max. mounting height	4,00 m	Twilight switch	Yes
Sensor technology	passive infrared	Twilight setting	2 – 1000 lx
With motion detector	Yes	Time setting	5 s – 15 Min.
Detection angle	360 °	Base light function	Yes
Opening angle	180 °	Main light adjustable	0 - 100 %
Sneak-under protection	Yes		
Segment-by-segment masking	Yes		
Electronic scalability	No		
Mechanical scalability	No		
Radial range	Ø 8 m (50 m²)		
Tangential range	Ø 40 m (1257 m²)		
Switching zones	1416 switching zones		
		Settings via	ETS software Remote control Bus Smart Remote
		With remote control	No
		Twilight setting teach	Yes
		HOUSING & MATERIAL	
		Protection class (IP)	IP20
		Ambient temperature	from -20 up to 50 °C
		Mounting location	ceiling
		Application location	Indoors
		Mounting type	Concealed wiring
		Material	Plastic
		Application room	Indoors WC / washroom changing room function room / ancillary room multi-storey / underground car park production facilities reception / lobby recreation room sports hall stairwell warehouse
		Colour	white
		RAL colour	9003
		SCOPE OF DELIVERY & WARRANTY	
		Manufacturer warranty	5 years
		Corner wall bracket included	No

IS 3360 KNX - concealed, rd. white


MOTION AND PRESENCE DETECTOR

EAN 4007841058197

E-Nr. 535955308

Illustrations

TECHNICAL DRAWINGS



124 x 78 mm

MOUNTING HEIGHT

2,50 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------

IS 3360 KNX - concealed, rd. white

MOTION AND PRESENCE DETECTOR

EAN 4007841058197

E-Nr. 535955308

Highlights



UV-resistant plastic



Optional remote controls



Smart Remote remote control optional

IS 3360 KNX - concealed, rd. white

MOTION AND PRESENCE DETECTOR

EAN 4007841058197
E-Nr. 535955308

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841009151	Smart Remote	Accessory
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory
 4007841056742	Schwarze Blende für IR-Sensoren Unterputz rund	Accessory
 4007841056728	Schwarze Blende für IR-Sensoren Unterputz eckig	Accessory

ORDERING INFORMATION

Art.-Nr.

058197

EAN

4007841058197

E-Number

535955308

Typ

IS 3360 KNX - concealed, rd. white

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss