L 631 LED Silver

SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841020408
E-Nr. 924361012

- Including STEINEL LED system
- Optional basic lighting level 10 %
- Sensor with 4 intelligent programmes
- UV-resistant plastic
- Impact-resistant material rated to IK07
- 4-hour manual override (optional)

364 x 61 x 65 mm



L 631 LED Silver

SENSOR-SWITCHED OUTDOOR LIGHT

EAN **4007841020408**
E-Nr. **924361012**

Technical Data

IDENTIFICATION

Variant	**Silver**

DIMENSIONS

Dimensions L × W × H	**364 x 61 x 65 mm**

ELECTRICAL

Mains connection	**220 – 240 V , 50 / 50 Hz**
Power	**8,2 W**

SENSOR TECHNOLOGY

Sensor technology	**passive infrared**
With motion detector	**Yes**
Detection angle	**360 °**
Opening angle	**90 °**
Sneak-under protection	**Yes**
Segment-by-segment masking	**Yes**
Electronic scalability	**No**
Mechanical scalability	**No**
Tangential range	**r = 8 m (201 m²)**

CONNECTIVITY

Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Colour temperature	**3000 K**
LED colour deviation	**SDCM3**
Colour rendering index	**80-89**
With illuminant	**Yes, STEINEL LED system**
Illuminant	**LED cannot be replaced**
Base	**without**
LED cooling system	**Passive Thermo Control**
Soft light start	**Yes**
Continuous light	**selectable, 4h**
Luminous flux	**663 lm**

LIFETIME

LED lifetime max. °C	**50000 h**
Luminous flux decline per LM80	**L70B10**

SETTINGS

Twilight switch	**Yes**
Twilight setting	**2 – 2000 lx**
Time setting	**5 sec – 15 min**

HOUSING & MATERIAL

Impact resistance	**IK07**
Protection class (IP)	**IP44**
Protection class	**I**
Ambient temperature	**-20 – 50 °C**
Housing material	**Plastic**
Cover material	**Plastic, opal**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**3 years**

L 631 LED Silver

SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841020408
E-Nr. 924361012

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841009038	**Ersatz-Minisensor silber**	Spare Part

ORDERING INFORMATION

Art.-Nr.	4007841020408
EAN	4007841020408
E-Number	924361012
Typ	**L 631 LED Silver**

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss