

Spot Garden SC Sensor Connect

SENSOR-SWITCHED LED FLOODLIGHT

neva
lux

EAN 4007841058685

E-Nr. 941200529

- Ground spotlight with motion detector for stylish lighting accents in the garden
- Elegant and puristic design made of high-quality aluminium, spotlight head can be swivelled vertically by 90°
- Wireless networking via Bluetooth and easy setting via STEINEL Connect App
- Automatic light thanks to 90° Infrared sensor with up to 10 m detection of movement
- Functions: Twilight-controlled light, integrated timer, night economy mode, 4 hours continuous light
- Incl. GU-10 LED bulb with warm white light (3000 K) with 512 lm at 7,9 W
- Incl. 2.5 m mains cable and mounting accessories - plastic-free packaging

● steinel

140 x 69 x 369 mm



Spot Garden SC Sensor Connect

SENSOR-SWITCHED LED FLOODLIGHT

EAN 4007841058685

E-Nr. 941200529

Technical Data

DIMENSIONS		LIGHTING TECHNOLOGY		Twilight setting teach		Yes
Dimensions L x W x H		Measured luminous flux 360°		HOUSING & MATERIAL		
140 x 69 x 369 mm		512 lm		Impact resistance		IK03
ELECTRICAL		Colour temperature		Protection class (IP)		IP44
Mains connection		3000 K		Protection class		I
Power		SDCM5		Ambient temperature		from -20 up to 40 °C
7,9 W		Colour rendering index		Housing material		Aluminium
SENSOR TECHNOLOGY		With illuminant		Cover material		Plastic, transparent
Sensor technology		Yes, LED lamp		Mounting location		Ground spike
With motion detector		LED can be replaced		Application location		Outdoors
Detection angle		GU10		Mounting type		Other
Opening angle		No		Application room		garden outdoors
Sneak-under protection		Continuous light		Colour		Anthracite
Segment-by-segment masking		selectable		SCOPE OF DELIVERY & WARRANTY		
Electronic scalability		LIFETIME		Manufacturer warranty		3 years
Mechanical scalability		LED lifetime L70B50 25°C		Corner wall bracket included		No
Radial range		> 20000 h		CERTIFICATES & EPREL		
Tangential range		SETTINGS		EPREL energy efficiency class		F
CONNECTIVITY		Twilight switch		EPREL category		Surrounded product with separate light source (e.g. E27)
Networking		Yes				
Networking via		Twilight setting				
Slave mode adjustable		2 – 2000 lx				
		Time setting				
		5 s – 60 Min.				
		Base light function				
		No				
		Main light adjustable				
		No				
		Functions				
		Manual ON / ON-OFF Timer Master/slave override				
		Settings via				
		Bluetooth				

Spot Garden SC Sensor Connect


SENSOR-SWITCHED LED FLOODLIGHT

EAN 4007841058685

E-Nr. 941200529

Illustrations

TECHNICAL DRAWINGS



140 x 69 x 369 mm

Spot Garden SC Sensor Connect

SENSOR-SWITCHED LED FLOODLIGHT


EAN 4007841058685

E-Nr. 941200529

Highlights



Including GU10 LED lamp



LED ambient light



High-quality aluminium



Sturdy ground spike



With 2.5m mains connection cable

Spot Garden SC Sensor Connect

SENSOR-SWITCHED LED FLOODLIGHT

EAN 4007841058685
E-Nr. 941200529

Accessories

ORDERING INFORMATION	
Art.-Nr.	058685
EAN	4007841058685
E-Number	941200529
Typ	Spot Garden SC Sensor Connect
neva lux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	