P1280 KNX power supply

SYSTEM COMPONENTS

EAN 4007841085667

- 1280mA power supply for supplying KNX devices with bus voltage
- Output with integrated choke for supplying KNX bus lines and DC 30 V for supplying additional devices
- Nominal current can be subdivided to outputs as desired
- Reset button, no load protection, short-circuit and overvoltage proof
- Suitable for operation in systems with emergency power supply
- Floating signal contact for operating and diagnostic message
- Mounting width 108mm (6 rail units)
- 5-year product guarantee

steinel

90 x 108 x 58 mm



P1280 KNX power supply

SYSTEM COMPONENTS

EAN 4007841085667

Technical Data

DIMENSIONS

Dimensions L × W × H	90 x 108 x 58 mm

ELECTRICAL

Mains connection	200 – 240 V / 50 – 60 Hz
Own consumption	6,4 W

CONNECTIVITY

Control technology	On/Off-Leuchte

HOUSING & MATERIAL

Protection class (IP)	IP20
Protection class	III
Ambient temperature	from -5 up to 45 °C
Mounting type	DRA
Colour	grey

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	5 years

P1280 KNX power supply

SYSTEM COMPONENTS

EAN 4007841085667

Accessories

ORDERING INFORMATION

Art.-Nr.	085667
EAN	4007841085667
Typ	**P1280 KNX power supply**

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss