

XLED FL-100 weiss

neva
lux

Product code **4007841003890**

- Including STEINEL LED system
- Intelligent LED cooling system
- Colour rendering index Ra =90
- Interconnectable by cable ?(maximum of 16 units)
- High-quality aluminium

neva
lux

182 x 175 x 1041 mm



XLED FL-100 weiss

Product code 4007841003890

Technical Data

IDENTIFICATION		LIGHTING TECHNOLOGY		SETTINGS	
Variant	white	Colour temperature	3500 K	Twilight switch	Yes
DIMENSIONS		LED colour deviation	SDCM6	HOUSING & MATERIAL	
Dimensions L x W x H	182 x 175 x 1041 mm	Colour rendering index	90-100	Impact resistance	IK00
ELECTRICAL		With illuminant	Yes, STEINEL LED system	Protection class (IP)	IP44
Mains connection	230 V	Illuminant	LED cannot be replaced	Protection class	I
Power	25 W	LED cooling system	Passive Thermo Control	Housing material	Aluminium
SENSOR TECHNOLOGY		Luminous flux	1016 lm	Cover material	Plastic, transparent
Sensor technology	Light sensor	LIFETIME		SCOPE OF DELIVERY & WARRANTY	
With motion detector	No	LED lifetime max. °C	50000 h	Manufacturer warranty	5 years
		Luminous flux decline per LM80	L70B10		

XLED FL-100 weiss

Product code **4007841003890**

Accessories

ORDERING INFORMATION	
Art.-Nr.	4007841003890
Typ	XLED FL-100 weiss
neva lux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	