L 710 LED Silver

SENSOR-SWITCHED OUTDOOR LIGHT

EAN 4007841053192
E-Nr. 941200129

- Including STEINEL LED system
- Intelligent soft light start
- UV-resistant plastic
- High-quality aluminium
- Optional basic lighting level 10 %
- 4-hour manual override (optional)
- Sensor with 4 intelligent programmes

260 x 140 x 77 mm



L 710 LED Silver

SENSOR-SWITCHED OUTDOOR LIGHT

EAN **4007841053192**
E-Nr. **941200129**

Technical Data

IDENTIFICATION

Variant	**Silver**

DIMENSIONS

Dimensions L × W × H	**260 x 140 x 77 mm**

ELECTRICAL

Mains connection	**220 – 240 V , 50 / 60 Hz**
Power	**8,6 W**

SENSOR TECHNOLOGY

Max. mounting height	**2,50 m**
Sensor technology	**passive infrared**
With motion detector	**Yes**
Detection angle	**360 °**
Sneak-under protection	**Yes**
Segment-by-segment masking	**Yes**
Electronic scalability	**No**
Mechanical scalability	**No**
Tangential range	**r = 8 m (201 m²)**

CONNECTIVITY

Networking	**No**
Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Colour temperature	**3000 K**
Colour rendering index	**80-89**
With illuminant	**Yes, STEINEL LED system**
Illuminant	**LED cannot be replaced**
Base	**without**
LED cooling system	**Passive Thermo Control**
Soft light start	**Yes**
Continuous light	**selectable, 4h**

LIFETIME

LED lifetime max. °C	**50000 h**

SETTINGS

Twilight switch	**Yes**
Twilight setting	**2 – 2000 lx**
Time setting	**5 sec – 15 min**
Base light function	**Yes**
With remote control	**No**

HOUSING & MATERIAL

Impact resistance	**IK03**
Protection class (IP)	**IP44**
Protection class	**II**
Ambient temperature	**-20 – 40 °C**
Housing material	**Aluminium**
Cover material	**Plastic, opal**
Cover material (scope of delivery)	**sticker**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**3 years**

L 710 LED Silver

SENSOR-SWITCHED OUTDOOR LIGHT

EAN **4007841053192**
E-Nr. **941200129**

Illustrations

MOUNTING HEIGHT

2,50 m
MAX

L 710 LED Silver

SENSOR-SWITCHED OUTDOOR LIGHT

EAN **4007841053192**
E-Nr. **941200129**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841053178	**LN 710 LED Silber**	Photo-cell-controlled light

ORDERING INFORMATION

Art.-Nr.	4007841053192
EAN	4007841053192
E-Number	941200129
Typ	**L 710 LED Silver**

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss