

L 710 LED Silber

neva
lux

Product code **4007841053192**

E-Nr. **941200129**

- Including STEINEL LED system
- Intelligent soft light start
- UV-resistant plastic
- High-quality aluminium
- Optional basic lighting level 10 %
- 4-hour manual override (optional)
- Sensor with 4 intelligent programmes

neva
lux

260 x 140 x 77 mm



L 710 LED Silber

Product code **4007841053192**
E-Nr. **941200129**

Technical Data

IDENTIFICATION		Mechanical scalability		No	SETTINGS		
Variant	Silver	Tangential range		r = 8 m (201 m²)	Twilight switch		Yes
DIMENSIONS		CONNECTIVITY			Twilight setting		2 – 2000 lx
Dimensions L x W x H		Networking		No	Time setting		5 sec – 15 min
260 x 140 x 77 mm		LIGHTING TECHNOLOGY			Base light function		Yes
ELECTRICAL		Colour temperature		3000 K	With remote control		No
Mains connection		220 – 240 V , 50 / 60 Hz			HOUSING & MATERIAL		
Power		8,6 W			Impact resistance		IK03
SENSOR TECHNOLOGY		Colour rendering index		80-89	Protection class (IP)		IP44
Max. mounting height		With illuminant		Yes, STEINEL LED system	Protection class		II
Sensor technology		Illuminant		LED cannot be replaced	Ambient temperature		-20 – 40 °C
passive infrared		Base		without	Housing material		Aluminium
With motion detector		LED cooling system		Passive Thermo Control	Cover material		Plastic, opal
Yes		Soft light start		Yes	Cover material (scope of delivery)		sticker
Detection angle		Continuous light		selectable, 4h	SCOPE OF DELIVERY & WARRANTY		
360 °		LIFETIME			Manufacturer warranty		3 years
Sneak-under protection		LED lifetime max. °C		50000 h			
Yes							
Segment-by-segment masking							
Yes							
Electronic scalability							
No							

L 710 LED Silber

Product code **4007841053192**
E-Nr. **941200129**

Illustrations

MOUNTING HEIGHT

2,50 m

MAX

L 710 LED Silber

Product code **4007841053192**
E-Nr. **941200129**

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841053178	LN 710 LED Silber	

ORDERING INFORMATION

Art.-Nr.

4007841053192

E-Number

941200129

Typ

L 710 LED Silber

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss