

Sphera C 24V 300 mm

24V-GARDEN LED GLOBE LIGHT

neva
lux

EAN 4007841089368

Your garden. Your light. With the 24V garden lighting system, you can make your outdoor area shine. Simply connect the light, cable and power supply unit and set via the STEINEL Connect app.

- Stylish coloured lighting accents: 24V globe light Ø 300mm
- Automatic lighting: Thanks to the brightness sensor, the light comes on automatically at dusk - and goes off again at dawn
- STEINEL Connect App: Easy configuration and networking of multiple lights via Bluetooth
- True Color: true-to-life color rendering in warm white, cool white and color, dimmable for flexible lighting scenes
- Plug & Play: All components can be connected quickly and without tools, and can be expanded as desired
- Well planned: This light consumes 5,04 W. To operate it, you'll need a 24V power supply that matches the total power requirement – not included.

● steinel



Sphera C 24V 300 mm

24V-GARDEN LED GLOBE LIGHT

EAN 4007841089368

Technical Data

ELECTRICAL		LIFETIME		Housing material		Plastic
Power	5,04 W	LED lifetime L70B50 25°C	> 60000 h	Cover material	Plastic, structured	
SENSOR TECHNOLOGY		Average rated power supply lifetime at 25 °C	> 60000 h	Mounting location	Floor	
With motion detector	No	SETTINGS		Application location	Outdoors	
CONNECTIVITY		Twilight switch	Yes	Mounting type	Other	
Networking	Yes	Twilight setting	2 – 2000 lx	Material	Plastic	
Networking via	Bluetooth Mesh	Main light adjustable	10 - 100 %	Application room	garden outdoors terrace / balcony	
LIGHTING TECHNOLOGY		Settings via	Bluetooth Mesh	Colour	Anthracite	
Measured luminous flux 360°	529 lm	With remote control	No	SCOPE OF DELIVERY & WARRANTY		
Efficiency	105 lm/W	Twilight setting teach	Yes	Manufacturer warranty	3 years	
Colour temperature	all colors + 1800-4000 K	HOUSING & MATERIAL		House number sheet included	No	
LED colour deviation	SDCM3	Impact resistance	IK07	CERTIFICATES & EPREL		
With illuminant	Yes, STEINEL LED system	Protection class (IP)	IP65	Certificates	TSU	
Illuminant	LED cannot be replaced	Protection class	III	EPREL category	Surrounded product with integrated light source	
Continuous light	selectable	Ambient temperature	from -20 up to 40 °C			


Sphera C 24V 300 mm

EAN 4007841089368

24V-GARDEN LED GLOBE LIGHT

Illustrations

TECHNICAL DRAWINGS



Sphera C 24V 300 mm


24V-GARDEN LED GLOBE LIGHT

EAN 4007841089368

Highlights




Plug&Play - Easy to install



True Color



Dimmable lighting



Aluminium ground spike (optionally available)

Sphera C 24V 300 mm

24V-GARDEN LED GLOBE LIGHT

EAN 4007841089368

Accessories

ORDERING INFORMATION	
Art.-Nr.	089368
EAN	4007841089368
Typ	Sphera C 24V 300 mm
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	