

LS 150 black

FLOODLIGHT WITHOUT SENSOR

neva
lux

EAN 4007841069216

E-Nr. 941502219

- Spotlight without motion detector with robust aluminium spotlight head and optimum light diffusion thanks to ceramic reflector
- Never change bulbs again thanks to 50,000 hours LED life (approx. 30 years at 4.5 hours/day)
- Spotlight head can be swivelled horizontally by 80° and vertically by 150°
- Optional corner wall bracket available for optimal illumination of an area in front of two house walls
- Neutral white light (4000 K) and long-life 14,7 W LEDs with 1375 lm, with an illumination of max. 150 sqm
- Incl. mounting accessories - plastic-free packaging

● steinel

178 x 157 x 178 mm



LS 150 black

FLOODLIGHT WITHOUT SENSOR

EAN 4007841069216

E-Nr. 941502219

Technical Data

DIMENSIONS	
Dimensions L x W x H	178 x 157 x 178 mm
ELECTRICAL	
Mains connection	220 – 240 V / 50 – 60 Hz
Power	14,7 W
SENSOR TECHNOLOGY	
With motion detector	No
CONNECTIVITY	
Networking	No
LIGHTING TECHNOLOGY	
Measured luminous flux 360°	1486 lm
Colour temperature	4000 K
LED colour deviation	SDCM3
Colour rendering index	80-89
With illuminant	Yes, STEINEL LED system

Illuminant	LED cannot be replaced
Base	without
LED cooling system	Passive Thermo Control
Soft light start	No
Efficiency without cover	77 lm/W
LIFETIME	
LED lifetime max. °C	50000 h
LED lifetime L70B50 25°C	> 36000 h
SETTINGS	
Base light function	No
Main light adjustable	No
HOUSING & MATERIAL	
Impact resistance	IK03
Protection class (IP)	IP44
Protection class	I
Ambient temperature	from -10 up to 30 °C

Housing material	Aluminium
Cover material	Glass transparent
Mounting location	wall
Application location	Outdoors
Mounting type	Surface wiring
Application room	all round the building courtyard & driveway front door garden multi-storey / underground car park terrace / balcony
Colour	black
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	3 years
Corner wall bracket included	No
CERTIFICATES & EPREL	
EPREL energy efficiency class	E
EPREL category	Light source

LS 150 black


FLOODLIGHT WITHOUT SENSOR

EAN 4007841069216

E-Nr. 941502219

Illustrations

TECHNICAL DRAWINGS



178 x 157 x 178 mm

LS 150 black


FLOODLIGHT WITHOUT SENSOR

EAN 4007841069216

E-Nr. 941502219

Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram

LS 150 black

FLOODLIGHT WITHOUT SENSOR

EAN 4007841069216

E-Nr. 941502219


Highlights



Including STEINEL LED system



UV-resistant plastic



Colour rendering index Ra $\geq$ 80



Optional corner wall mount bracket

LS 150 black

FLOODLIGHT WITHOUT SENSOR

EAN 4007841069216

E-Nr. 941502219

Accessories

ORDERING INFORMATION	
Art.-Nr.	069216
EAN	4007841069216
E-Number	941502219
Typ	LS 150 black

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss