RS 100 L

SENSOR-SWITCHED INDOOR LIGHT

EAN 4007841730116
E-Nr. 920622109

- High-quality opal glass shade
- Long-life aluminium enclosure

310 x 125 mm

RS 100 L

SENSOR-SWITCHED INDOOR LIGHT

EAN **4007841730116**
E-Nr. **920622109**

Technical Data

DIMENSIONS

Dimensions Ø × H	**310 x 125 mm**

ELECTRICAL

Mains connection	**230 – 240 V , 50 / 50 Hz**
Power	**100 W**
Switching output 1 resistive	**800 W**

SENSOR TECHNOLOGY

Sensor technology	**High frequency**
Transmission power	**< 1 mW**
With motion detector	**Yes**
Detection	**also through glass, wood and stud walls**
Detection angle	**360 °**
Opening angle	**160 °**
Electronic scalability	**Yes**
Mechanical scalability	**No**

CONNECTIVITY

Networking	**Yes**
Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

With illuminant	**No**
Illuminant	**All-purpose lamp**
Base	**E27**

SETTINGS

Twilight switch	**Yes**
Twilight setting	**2 – 2000 lx**
Time setting	**5 sec – 15 min**

HOUSING & MATERIAL

Impact resistance	**IK00**
Protection class (IP)	**IP44**
Protection class	**II**
Ambient temperature	**-10 – 50 °C**
Housing material	**Plastic**
Cover material	**Glass opal**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**3 years**

RS 100 L

SENSOR-SWITCHED INDOOR LIGHT

EAN **4007841730116**
E-Nr. **920622109**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841001766	**Ersatzglas für RS 100 S**	Spare Part

ORDERING INFORMATION

Art.-Nr.	4007841730116
EAN	4007841730116
E-Number	920622109
Typ	**RS 100 L**

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss