

P1280 KNX power supply

SYSTEM COMPONENTS



EAN 4007841085667

- 1280mA power supply for supplying KNX devices with bus voltage
- Output with integrated choke for supplying KNX bus lines and DC 30 V for supplying additional devices
- Nominal current can be subdivided to outputs as desired
- Reset button, no load protection, short-circuit and overvoltage proof
- Suitable for operation in systems with emergency power supply
- Floating signal contact for operating and diagnostic message
- Mounting width 108mm (6 rail units)
- 5-year product guarantee



90 x 108 x 58 mm



P1280 KNX power supply

SYSTEM COMPONENTS

EAN 4007841085667

Technical Data

DIMENSIONS		HOUSING & MATERIAL		Colour		grey
Dimensions L x W x H		90 x 108 x 58 mm		Protection class (IP)		IP20
ELECTRICAL		Protection class		III		SCOPE OF DELIVERY & WARRANTY
Mains connection		200 – 240 V / 50 – 60 Hz		Ambient temperature		from -5 up to 45 °C
Own consumption		6,4 W		Mounting type		DRA
				Manufacturer warranty		5 years

P1280 KNX power supply

SYSTEM COMPONENTS

EAN 4007841085667

Accessories

ORDERING INFORMATION	
Art.-Nr.	085667
EAN	4007841085667
Typ	P1280 KNX power supply
nevalux nevalux AG Neugrütstrasse 2 8610 Uster +41 44 508 78 78 info@nevalux.swiss	