

IS 3360 40m KNX - concealed, rd. black

neva
lux

PRESENCE DETECTOR

EAN 4007841068592

E-Nr. 535918152

 **steinel**

124 x 78 mm



IS 3360 40m KNX - concealed, rd. black

PRESENCE DETECTOR

EAN 4007841068592

E-Nr. 535918152

Technical Data

IDENTIFICATION	
Version	Motion and Presence Detector
DIMENSIONS	
Dimensions L x W x H	78 x 94 x 94 mm
Dimensions Ø x H	124 x 78 mm
ELECTRICAL	
Supply voltage detail	KNX bus
SENSOR TECHNOLOGY	
Max. mounting height	4,00 m
Sensor technology	passive infrared
With motion detector	Yes
Detection angle	360 °
Opening angle	180 °
Sneak-under protection	Yes
Segment-by-segment masking	Yes
Electronic scalability	No
Mechanical scalability	No
Radial range	Ø 8 m (50 m²)
Tangential range	Ø 40 m (1257 m²)

Switching zones	1416 switching zones
Mounting height	2,50 – 4,00 m
Presence range	Ø 3 m (7 m²)
Optimal mounting height	2,8 m
CONNECTIVITY	
Networking	Yes
Type of networking	Master/slave
Networking via	KNX bus
KNX functions	Photo-cell controller Basic light level function Light level HVAC output Constant-lighting control Light output 2x Presence output Day / night function Logic gate
With bus coupler	Yes
LIGHTING TECHNOLOGY	
Continuous light	selectable
Constant light regulation	Yes
SETTINGS	
Twilight switch	Yes
Twilight setting	2 – 1000 lx
Time setting	5 s – 15 Min.
Base light function	Yes

Main light adjustable	0 - 100 %
Settings via	ETS software Remote control Bus Smart Remote
Twilight setting teach	Yes
HOUSING & MATERIAL	
Protection class (IP)	IP20
Ambient temperature	from -20 up to 50 °C
Mounting location	ceiling
Application location	Indoors
Mounting type	Concealed wiring
Material	Plastic
Application room	Indoors WC / washroom changing room function room / ancillary room multi-storey / underground car park production facilities reception / lobby recreation room sports hall stairwell warehouse
Colour	black
RAL colour	9005
SCOPE OF DELIVERY & WARRANTY	
Manufacturer warranty	5 years
Corner wall bracket included	No


IS 3360 40m KNX - concealed, rd. black

PRESENCE DETECTOR

EAN 4007841068592
E-Nr. 535918152

Illustrations

TECHNICAL DRAWINGS



124 x 78 mm

MOUNTING HEIGHT

2,50 – 4,00 m BEREICH	2,8 m OPTIMAL	4,00 m MAX
--------------------------	------------------	---------------

IS 3360 40m KNX - concealed, rd. black

PRESENCE DETECTOR

EAN 4007841068592

E-Nr. 535918152

Highlights



UV-resistant plastic



Optional remote controls




Smart Remote remote control optional

IS 3360 40m KNX - concealed, rd. black

PRESENCE DETECTOR

EAN 4007841068592
E-Nr. 535918152

Accessories

ARTICLE NUMBER	DESCRIPTION	CATEGORY
 4007841593018	Service Fernbedienung RC6 KNX	Other
 4007841592912	Nutzer Fernbedienung RC7 KNX	Accessory
 4007841009151	Smart Remote	Accessory
 4007841056728	Schwarze Blende für IR-Sensoren Unterputz eckig	Accessory
 4007841056742	Schwarze Blende für IR-Sensoren Unterputz rund	Accessory

ORDERING INFORMATION

Art.-Nr.

068592

EAN

4007841068592

E-Number

535918152

Typ

IS 3360 40m KNX - concealed, rd. black

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss