# RS PRO DL LED 20 W Neutral white

**SENSOR-SWITCHED INDOOR LIGHT**

EAN 4007841007751
E-Nr. 941313009

- Including STEINEL LED system
- Intelligent LED cooling system
- Ceiling-flush installation
- Interconnectable by cable ?(maximum of 10 units)
- Can only be set by optional remote control RC2

168 x 88 mm



# RS PRO DL LED 20 W Neutral white

**SENSOR-SWITCHED INDOOR LIGHT**

EAN **4007841007751**
E-Nr. **941313009**

# Technical Data

### IDENTIFICATION

| | |
|---|---|
| Variant | **Neutral white** |

### DIMENSIONS

| | |
|---|---|
| Dimensions Ø × H | **168 x 88 mm** |

### ELECTRICAL

| | |
|---|---|
| Mains connection | **100 – 240 V , 50 / 60 Hz** |
| Power | **20 W** |
| Power detail | **Only via Eltako ER12DX-UC** |

### SENSOR TECHNOLOGY

| | |
|---|---|
| Sensor technology | **High frequency** |
| Transmission power | **< 1 mW** |
| With motion detector | **Yes** |
| Detection | **also through glass, wood and stud walls** |
| Detection angle | **360 °** |
| Opening angle | **160 °** |

| | |
|---|---|
| Electronic scalability | **Yes** |
| Mechanical scalability | **No** |

### CONNECTIVITY

| | |
|---|---|
| Control technology | **On/Off-Leuchte** |

### LIGHTING TECHNOLOGY

| | |
|---|---|
| Colour temperature | **4000 K** |
| LED colour deviation | **SDCM3** |
| Colour rendering index | **70-79** |
| With illuminant | **Yes, STEINEL LED system** |
| Illuminant | **LED cannot be replaced** |
| Base | **without** |
| LED cooling system | **Passive Thermo Control** |
| Luminous flux | **1230 lm** |

### LIFETIME

| | |
|---|---|
| LED lifetime max. °C | **50000 h** |

| | |
|---|---|
| Luminous flux decline per LM80 | **L70B10** |

### SETTINGS

| | |
|---|---|
| Twilight switch | **Yes** |
| Time setting | **60 sec – 60 min** |
| Base light function time | **10 min, 30 min, all night** |

### HOUSING & MATERIAL

| | |
|---|---|
| Impact resistance | **IK00** |
| Protection class (IP) | **IP20** |
| Protection class | **II** |
| Ambient temperature | **-10 – 40 °C** |
| Housing material | **Aluminium** |
| Cover material | **Plastic, opal** |

### SCOPE OF DELIVERY & WARRANTY

| | |
|---|---|
| Manufacturer warranty | **5 years** |

# RS PRO DL LED 20 W Neutral white

SENSOR-SWITCHED INDOOR LIGHT

EAN **4007841007751**
E-Nr. **941313009**

## Accessories

| | ARTICLE NUMBER | DESCRIPTION | CATEGORY |
|---|---|---|---|
|  | 4007841737818 | **RS PRO Fernbedienung RC2** | Accessory |
|  | 4007841009151 | **Smart Remote** | Accessory |
|  | 4007841013684 | **Sanierungsblende für RS PRO DL LED 20 W** | Accessory |

### ORDERING INFORMATION

| | |
|---|---|
| Art.-Nr. | 4007841007751 |
| EAN | 4007841007751 |
| E-Number | 941313009 |
| Typ | **RS PRO DL LED 20 W Neutral white** |

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss