L 16 LED Glass

INDOOR LIGHT

EAN 4007841055899
E-Nr. 941000029

- Including STEINEL LED system
- High-quality opal glass shade

275 x 95 mm



L 16 LED Glass

INDOOR LIGHT

EAN 4007841055899
E-Nr. 941000029

Technical Data

DIMENSIONS

Dimensions Ø × H	275 x 95 mm

ELECTRICAL

Mains connection	220 – 240 V , 50 / 60 Hz
Power	8,5 W

SENSOR TECHNOLOGY

With motion detector	No
Electronic scalability	No
Mechanical scalability	No

CONNECTIVITY

Control technology	On/Off-Leuchte

LIGHTING TECHNOLOGY

Colour temperature	3000 K
LED colour deviation	SDCM3
Colour rendering index	90-100
With illuminant	Yes, STEINEL LED system
Illuminant	LED cannot be replaced
Base	without
LED cooling system	Passive Thermo Control
Luminous flux	840 lm

LIFETIME

LED lifetime max. °C	50000 h
Luminous flux decline per LM80	L70B10

SETTINGS

Twilight switch	Yes
Base light function	No

HOUSING & MATERIAL

Impact resistance	IK00
Protection class (IP)	IP44
Protection class	II
Ambient temperature	-10 – 40 °C
Housing material	Plastic
Cover material	Glass opal

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	3 years

L 16 LED Glass

INDOOR LIGHT

EAN **4007841055899**
E-Nr. **941000029**

Accessories

	ARTICLE NUMBER	DESCRIPTION	CATEGORY
	4007841053987	**RS 160 LED Glas**	Sensor-switched indoor light
	4007841055905	**L 160 LED Glas**	Indoor light

ORDERING INFORMATION

Art.-Nr.	4007841055899
EAN	4007841055899
E-Number	941000029
Typ	**L 16 LED Glass**

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss