

L 845 C without motion detector, with Bluetooth

neva
lux**LED OUTDOOR LIGHT WITHOUT SENSOR**

EAN 4007841078638

E-Nr. 941260149

 **steinel**

134 x 134 x 87 mm



L 845 C without motion detector, with Bluetooth

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841078638

E-Nr. 941260149

Technical Data

DIMENSIONS

Dimensions L x W x H

134 x 134 x 87 mm

ELECTRICAL

Mains connection

220 – 240 V / 50 – 60 Hz

Power

9 W

SENSOR TECHNOLOGY

Max. mounting height

2,50 m

With motion detector

No

Mounting height

1,8 – 2,50 m

Optimal mounting height

2 m

CONNECTIVITY

Networking

Yes

Type of networking

Master/slave

Networking via

Bluetooth Mesh

LIGHTING TECHNOLOGY

Measured luminous flux
360°

719 lm

Colour temperature

3000 K

LED colour deviation

SDCM3

Colour rendering index

= 82

With illuminant

Yes, STEINEL LED system

Illuminant

LED cannot be replaced

Base

without

LED cooling system

Passive Thermo Control

Soft light start

Yes

LIFETIME

LED lifetime L70B50 25°C

> 60000 h

Luminous flux decline per
LM80

L70B50

SETTINGS

Twilight switch

Yes

Twilight setting

2 – 2000 lx

Main light adjustable

10 - 100 %

Settings via

App Smartphone Bluetooth
Mesh

With remote control

No

Twilight setting teach

Yes

HOUSING & MATERIAL

Impact resistance

IK03

Protection class (IP)

IP44

Protection class

I

Ambient temperature

from -20 up to 40 °C

Housing material

Aluminium

Cover material

Plastic, opal

Mounting location

wall

Application location

Outdoors

Mounting type

Surface wiring

Material

Aluminium

Application room

all round the building
courtyard & driveway front
door outdoors terrace /
balcony

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty

5 years

House number sheet
included

No

CERTIFICATES & EPREL

EPREL category

Surrounded product with
integrated light source

L 845 C without motion detector, with Bluetooth


LED OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841078638

E-Nr. 941260149

Illustrations

TECHNICAL DRAWINGS



134 x 134 x 87 mm

MOUNTING HEIGHT

1,8 – 2,50 m BEREICH	2 m OPTIMAL	2,50 m MAX
--	-----------------------------------	----------------------------------

L 845 C without motion detector, with Bluetooth


EAN 4007841078638

E-Nr. 941260149

LED OUTDOOR LIGHT WITHOUT SENSOR


Wiring Diagrams

WIRING DIAGRAM 1



Circuit diagram Bluetooth

WIRING DIAGRAM 2



Circuit diagram Bluetooth

L 845 C without motion detector, with Bluetooth

EAN 4007841078638


E-Nr. 941260149

LED OUTDOOR LIGHT WITHOUT SENSOR

Highlights




Including STEINEL LED system



Intelligent soft light start



Optional basic lighting level 10 - 100 %
(only with bluetooth sensor product)



High-quality aluminium

L 845 C without motion detector, with Bluetooth

LED OUTDOOR LIGHT WITHOUT SENSOR

EAN 4007841078638

E-Nr. 941260149

Accessories

ORDERING INFORMATION	
Art.-Nr.	078638
EAN	4007841078638
E-Number	941260149
Typ	L 845 C without motion detector, with Bluetooth

neva
lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss