RS LED M2 Chrome

SENSOR-SWITCHED INDOOR LIGHT

EAN 4007841052508
E-Nr. 941301379

- Including STEINEL LED system
- LED ambient light
- 4-hour manual override (optional)
- Optional basic lighting level 10 %
- High-quality materials

220 x 220 x 67 mm



RS LED M2 Chrome

SENSOR-SWITCHED INDOOR LIGHT

EAN **4007841052508**
E-Nr. **941301379**

Technical Data

IDENTIFICATION

Variant	**Chrome**

DIMENSIONS

Dimensions L × W × H	**220 x 220 x 67 mm**

ELECTRICAL

Mains connection	**220 – 240 V , 50 / 60 Hz**
Power	**9,5 W**

SENSOR TECHNOLOGY

Sensor technology	**High frequency**
With motion detector	**Yes**
Detection	**also through glass, wood and stud walls**
Detection angle	**360 °**
Opening angle	**160 °**
Electronic scalability	**Yes**
Mechanical scalability	**No**

CONNECTIVITY

Networking	**Yes**
Control technology	**On/Off-Leuchte**

LIGHTING TECHNOLOGY

Colour temperature	**3000 K**
LED colour deviation	**SDCM3**
Colour rendering index	**80-89**
With illuminant	**Yes, STEINEL LED system**
Illuminant	**LED cannot be replaced**
Base	**without**
Soft light start	**Yes**
Continuous light	**selectable, 4h**
Luminous flux	**873 lm**

LIFETIME

LED lifetime max. °C	**65000 h**
Luminous flux decline per LM80	**L70B10**

SETTINGS

Twilight switch	**Yes**
Twilight setting	**2 – 2000 lx**
Time setting	**5 sec – 15 min**
Base light function	**Yes**
Base light function time	**10/30 min, all night**

HOUSING & MATERIAL

Impact resistance	**IK00**
Protection class (IP)	**IP20**
Protection class	**II**
Ambient temperature	**-10 – 30 °C**
Housing material	**Plastic**
Cover material	**Plastic, opal**

SCOPE OF DELIVERY & WARRANTY

Manufacturer warranty	**3 years**

RS LED M2 Chrome

SENSOR-SWITCHED INDOOR LIGHT

EAN **4007841052508**
E-Nr. **941301379**

Accessories

ORDERING INFORMATION

Art.-Nr.	4007841052508
EAN	4007841052508
E-Number	941301379
Typ	**RS LED M2 Chrome**

neva lux

nevalux AG
Neugrütstrasse 2
8610 Uster
+41 44 508 78 78
info@nevalux.swiss