

IS 345 KNX - concealed, sq. black

MOTION DETECTOR

neva
lux

EAN 4007841084141

E-Nr. 535918142

● steinel

78 x 94 x 94 mm



IS 345 KNX - concealed, sq. black

MOTION DETECTOR

EAN 4007841084141

E-Nr. 535918142

Technical Data

IDENTIFICATION		Optimal mounting height		2,5 m	Main light adjustable		0 - 100 %
Version	Motion detectors	CONNECTIVITY			Settings via	ETS software Remote control	Bus Smart Remote
DIMENSIONS		Networking		Yes	With remote control	No	
Dimensions L x W x H	78 x 94 x 94 mm	Type of networking		Master/slave	Twilight setting teach	Yes	
ELECTRICAL		Networking via		KNX bus	HOUSING & MATERIAL		
Supply voltage detail	KNX bus	KNX functions		Photo-cell controller Basic light level function Light level HVAC output Constant- lighting control Light output 2x Presence output Day / night function Logic gate	Protection class (IP)	IP20	
SENSOR TECHNOLOGY		With bus coupler		Yes	Ambient temperature	from -20 up to 50 °C	
Max. mounting height	5,00 m	LIGHTING TECHNOLOGY			Mounting location	ceiling	
Sensor technology	passive infrared	Soft light start		Yes	Application location	Indoors	
Detection angle	360 °	Continuous light		selectable	Mounting type	Concealed wiring	
Opening angle	45 °	Constant light regulation		Yes	Material	Plastic	
Sneak-under protection	Yes	SETTINGS			Application room	Indoors corridor / aisle multi-storey / underground car park	
Segment-by-segment masking	Yes	Twilight switch		Yes	Colour	black	
Electronic scalability	No	Twilight setting		2 – 1000 lx	RAL colour	9005	
Mechanical scalability	No	Time setting		5 s – 15 Min.	SCOPE OF DELIVERY & WARRANTY		
Radial range	12 x 6 m (72 m²)	Base light function		Yes	Manufacturer warranty	5 years	
Tangential range	23 x 6 m (138 m²)	Corner wall bracket included					
Switching zones	280 switching zones						
Mounting height	2,50 – 5,00 m						

IS 345 KNX - concealed, sq. black


MOTION DETECTOR

EAN 4007841084141

E-Nr. 535918142

Illustrations

TECHNICAL DRAWINGS



78 x 94 x 94 mm

MOUNTING HEIGHT

2,50 – 5,00 m BEREICH	2,5 m OPTIMAL	5,00 m MAX
--------------------------	------------------	---------------

IS 345 KNX - concealed, sq. black

MOTION DETECTOR

EAN 4007841084141

E-Nr. 535918142

Highlights



UV-resistant plastic



Optional remote controls



Smart Remote remote control optional

IS 345 KNX - concealed, sq. black

MOTION DETECTOR

EAN 4007841084141

E-Nr. 535918142

Accessories

ORDERING INFORMATION	
Art.-Nr.	084141
EAN	4007841084141
E-Number	535918142
Typ	IS 345 KNX - concealed, sq. black

neva

lux

nevalux AG

Neugrütstrasse 2

8610 Uster

+41 44 508 78 78

info@nevalux.swiss